Phytopathology

An International Journal

Official Organ of

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 49

JANUARY—DECEMBER, 1959

Editor-in-Chief

E. E. Wilson

Editors

M. W. Allen
Kenneth F. Baker
George W. Bruehl
E. C. Calavan
Carroll E. Cox
Stephen Diachun
Charles L. Fergus
Robert W. Fulton
Max W. Gardner
David Gottlieb
Marr D. Simons
Wilson L. Smith, Jr.
Russell B. Stevens
H. E. Wheeler
Edwin B. Williams

Business Management

A. W. Dimock
D. A. Roberts

The American Phytopathological Society

Officers

Glenn S. Pound, *President*
George A. Zentmyer, *Secretary*
William C. Snyder, *President-Elect*
S. E. A. McCallan, *Vice-President*
A. W. Dimock, *Treasurer*
Paul R. Miller, *Retiring President*

Councilors

W. W. Hare
L. O. Weaver
Thor Kommedahl
B. R. Houston
C. S. Holton
E. M. Stoddard
Ralph Shay

PUBLISHED FOR THE SOCIETY
Monumental Printing Company
Baltimore, Maryland

DIVISIONS OF THE SOCIETY

Northeastern

A. E. Rich, *Pres.* — J. E. Livingston, *Vice-Pres.* — David Marsden, *Sec.-Treas.*

North Central

D. F. Millikan, *Pres.* — C. M. Nagel, *Vice-Pres.* — E. W. Hanson, *Sec.-Treas.*

Pacific

K. F. Baker, *Pres.* — J. D. Menzies, *Vice-Pres.* — William Kreutzer, *Sec.-Treas.*

Potomac

W. D. McClellan, *Pres.* — A. B. Groves, *Vice-Pres.* — John G. Moseman, *Sec.-Treas.*

Southern

E. M. Cralley, *Pres.* — W. J. Martin, *Vice-Pres.* — J. P. Fulton, *Sec.-Treas.*

SUSTAINING ASSOCIATES

American Tobacco Company, Inc., Research Laboratory, 400 Petersburg Turnpike, Richmond 24, Virginia

The Dow Chemical Company, Midland, Michigan

E. I. du Pont de Nemours & Company, Incorporated, Wilmington 98, Delaware

Ferry-Morse Seed Company, P. O. Box 778, Detroit 31, Michigan

Freeport Sulphur Company, New Orleans 5, Louisiana

H. J. Heinz Company, Pittsburgh 30, Pennsylvania

Lederle Laboratories Division, American Cyanamid Company, Pearl River, N. Y.

Mathieson Chemical Corporation, Mathieson Building, Baltimore, Maryland

Monsanto Chemical Company, 800 N. Lindberg Boulevard, St. Louis 66, Missouri

Rohm & Haas Company, Washington Square, Philadelphia 5, Pennsylvania

Shell Chemical Corporation, Agricultural Chemical Sales Division, 460 Park Avenue, New York 22, New York

Tennessee Corporation, 619-27 Grant Building, Atlanta 1, Georgia

Yoder Brothers, Inc., Barberton, Ohio

CONTENTS OF VOLUME 49, 1959

No. 1—JANUARY

Chemical control of cereal rusts. IV. The influence of nickel compounds on wheat, oat, and sunflower rusts in the greenhouse ..... F. R. Forsyth and B. Peturson 1

Methods of infecting wheat with the dwarf bunt fungus ..... Jack P. Meiners 4

Strain and seed treatment as factors in germination and seedling growth of smooth bromegrass ..... E. L. Nielsen, J. G. Dickson, and D. C. Smith 8

Relation of fungicidal and nematocidal bulb treatments to phytotoxicity and control of basal rot in narcissus ..... Robert Aycock 12

Effect of photoperiod on the multiplication of turnip mosaic virus in rape
Glenn S. Pound and Carlos Garces-Orejuela 16

Varietal response of soybeans to Meloidogyne—a bioassay system for separating races of root-knot nematodes ..... V. H. Dropkin 18

Influence of soil temperature and of strains of the pathogen on severity of Verticillium wilt of pepper ..... J. B. Kendrick, Jr., and John T. Middleton 23

A transmissible disease of Helminthosporium victoriae ..... G. D. Lindberg 29

A physiological basis for resistance of oats to Victoria blight ..... R. R. Romanko 32

Sexuality of Phytophthora parasitica var. nicotianae ..... J. L. Apple 37

A new strain of tobacco-streak virus from peas
Graciano Patino and W. J. Zaumeyer 43

A latent virus of California artichokes
A. S. Costa, J. E. Duffus, D. Morton, C. E. Yarwood, and Roy Bardin 49

The capacity and period of maximum production of sporidia in Cronartium ribicola
Robert V. Bega 54

Phytopathological Notes

Indexing sour cherry trees for necrotic-ring-spot virus on excised twigs
Harry C. Fink 58

Some effects of light on the growth and morphology of Rhizoctonia solani
Richard D. Durbin 59

No. 2—FEBRUARY

Observations on the water economy of Fusarium-infected banana plants ..... O. T. Page 61

Comparative studies on Gloeosporium stem and leaf fleck and Dothichiza leaf spot of highbush blueberry ..... Jack Taylor and C. N. Clayton 65

The effect of growth-regulating substances on disease resistance and plant growth
Malcolm E. Corden and A. E. Dimond 68

The influence of overhead irrigation and microclimate on Colletotrichum phomoides
L. C. Raniere and D. F. Crossan 72

A new approach to the embryo test for predicting loose smut of wheat in adult plants
W. Popp 75

Some factors affecting the susceptibility of cucumber cotyledons to infection by tobacco mosaic virus ..... R. C. Lindner, Hugh C. Kirkpatrick, and T. E. Weeks 78

Effects of crown gall and hairy root on the growth of apple trees
A. J. Riker, J. G. Berbee, and E. B. Smalley 88

Factors influencing the use of gamma radiation to control decay of lemons and oranges
LOUIS BERAHA, G. B. RAMSEY, M. A. SMITH, AND W. R. WRIGHT 91

A study of field sources and spread of five viruses of peppers in central Florida
C. W. ANDERSON 97

The influence of temperature and light on rust reaction of inbred lines of corn inoculated with specific lines of Puccinia sorghi
RIKSH SYAMANANDA AND J. G. DICKSON 102

Isolation and characterization of a bacteriophage for Corynebacterium flaccumfaciens
Z. KLEMENT AND B. LOVAS 107

Report and abstracts of the 1958 meeting of the Pacific Division of the American Phytopathological Society 112

PHYTOPATHOLOGICAL NOTES

Growth of Erysiphe cichoracearum on isolated lower epidermis and spongy mesophyll of lettuce W. C. SCHNATHORST 115

Clasterosporium shot-hole of the Catalina, or Island, cherry ROBERT D. RAABE 116

Vigna and Crotalaria viruses in Florida. V. Comparative transmission tests with aphids and beetles C. W. ANDERSON 117

Uromyces trifolii on peas R. W. GOTH AND W. A. HAGLUND 118

No. 3—MARCH

Studies on the action of oil in the control of Mycosphaerella musicola on banana leaves L. CALPOUZOS, T. THEIS, CARMEN M. RIVERA, AND C. COLBERG 119

The association of Fusarium wilt with the asparagus decline and replant problem in California R. G. GROGAN AND K. A. KIMBLE 122

Chenopodium hybridum as a local-lesion assay host for brome mosaic virus
W. F. ROCHOW 126

A seedling reaction of wheat indicative of bunt infection
E. L. KENDRICK AND LAURENCE H. PURDY 130

Mancha gris, a new leaf disease of bean in Colombia
R. L. SKILES AND CANUTO CARDONA-ALVAREZ 133

Control of root-knot nematodes affecting Porto Rico sweetpotatoes
L. W. NIELSEN AND J. N. SASSER 135

Pectolytic enzymes of Pseudomonas marginalis and their effects on lettuce
M. J. CEPONIS AND B. A. FRIEDMAN 141

Pectolytic and cellulytic enzymes produced by Rhizopus stolonifer
D. N. SRIVASTAVA, E. ECHANDI, AND J. C. WALKER 145

A disease of Ladino white clover caused by a yeast, Rhodotorula glutinis var. rubescens R. A. KILPATRICK 148

Serological studies of viruses infecting the cereal crops. II. The antigenic characteristics of wheat streak mosaic virus as determined by the complement fixation technique ELLEN L. MOORHEAD 151

Hot-water treatment of Lambert cherry budsticks infected with necrotic rusty mottle virus GEORGE NYLAND 157

PHYTOPATHOLOGICAL NOTES

Evidence of seed transmision of angular leaf spot of bean
S. H. OROZCO-SARRIA AND C. CARDONA-ALVAREZ 159

A major gene locus for compatibility in Trichometasphaeria turcica
R. R. Nelson 159

A leafspot of St. Augustine grass caused by Cercospora fusimaculans
T. E. Freeman 160

Report of the 50th meeting of the American Phytopathological Society 162

No. 4—APRIL

Vancomycin, a potential agent for plant disease prevention
P. P. Mehta, David Gottlieb, and Dwight Powell 177

White tip disease of rice. II. Seed treatment studies E. H. Todd and John G. Atkins 184

White tip disease of rice. III. Yield tests and varietal resistance
John G. Atkins and E. H. Todd 189

Methods for microscopic detection of Aphanomyces euteiches and Rhizoctonia solani and for isolation of Rhizoctonia solani associated with plant debris
M. G. Boosalis and A. L. Scharen 192

Multiple virus disease resistance in a strain of Capsicum annuum
A. A. Cook and C. W. Anderson 198

Locus, time, and mode of action of western X-little cherry virus in sweet cherry trees in Oregon Leo E. Jones 202

The effect on various cultures of Erysiphe graminis f. sp. hordei of the genes in barley that condition resistance to culture CR3 J. G. Moseman and C. W. Schaller 207

Variation in Phytophthora palmivora isolated from cacao and rubber R. G. Orellana 210

Combination reactions of three small-grain viruses on wheat
Sardar B. Lal and Webster H. Sill, Jr. 214

Virus increase in seedling roots C. E. Yarwood 220

Studies on the control of citrus canker with streptomycin
G. Rangaswami, Rao Rama Rao, and A. R. Lakshmanan 224

Report and abstracts of the 1958 annual meeting of the Northeastern Division of the American Phytopathological Society 227

Phytopathological Notes

Fusaric acid in banana plants infected with Fusarium oxysporum f. cubense
O. T. Page 230

The distribution on Nicotiana glutinosa leaves of lesions produced by tobacco mosaic virus Irving Rappaport and Sam G. Wildman 231

Use of Cellophane tape for mounting and photographing phytopathogenic fungi
Edward E. Butler and Margery P. Mann 231

Book listings 232

Charter members and presidents of APS (photographs) 233

No. 5—MAY

The influence of bedding stock source, plant bed temperature, and fungicide treatment on the development of black rot of sweet potato sprouts and on the resulting crop during storage Robert H. Daines 249

The effect of plant bed temperature and fungicide treatments on the occurrence of Java black rot disease of sweet potato sprouts Robert H. Daines 252

Relation between reaction to race 15B of stem rust and reducing sugars and sucrose in wheat — W. E. Lyles, M. C. Futrell, and I. M. Atkins 254

Inheritance of resistance of strains of diploid and tetraploid species of oats to races of the crown rust fungus — M. D. Simons, K. Sadanaga, and H. C. Murphy 257

The relation between radiation dose and the frequency of mutations for pathogenicity in Melampsora lini — E. A. Schwinghamer 260

A method of assaying soils for numbers of actinomycetes antagonistic to fungal pathogens — Leonard J. Herr 270

Effect of inoculum level on the severity of tobacco black shank — G. V. Gooding and G. B. Lucas 274

Factors influencing sporangial formation and zoospore activity in Phytophthora parasitica var. nicotianae — G. V. Gooding and G. B. Lucas 277

Detection, prevalence, and significance of latent viruses in pelargonium — A. Kivilaan and R. P. Scheffer 282

Subspecific identity of the stem rust fungus of Merion bluegrass — Michael P. Britton and George B. Cummins 287

Bacterial rhizome rot of bananas — R. H. Stover 290

Purification, properties, and serology of cucumber mosaic virus — J. A. Tomlinson, R. J. Shepherd, and J. C. Walker 293

Further studies of physiologic races in Urocystis tritici — A. G. Johnson 299

Measuring pathogenesis by the amount of toxic substance produced in alfalfa by a snow mold fungus — J. B. Lebeau, M. W. Cormack, and J. E. Moffatt 303

The pathology of Phytophthora lateralis on native Chamaecyparis lawsoniana — Edward J. Trione 306

Multiple clonal types of Fusarium solani phaseoli in field soil — William C. Snyder, Shirley M. Nash, and Eduardo E. Trujillo 310

The effect of amino acids on susceptibility of apple varieties to scab — J. Kuc, E. Barnes, A. Daftsios, and E. B. Williams 313

Report and abstracts of the 1959 annual meeting of the Southern Division of the American Phytopathological Society, Feb. 2-4, 1959 315

Phytopathological Notes

Reversal of captan fungitoxicity by *l*-histidine — Saul Rich 321

A caffeine additive to aid mechanical transmission of necrotic ring spot virus from fruit trees to cucumber — T. O. Diener and M. L. Weaver 321

Book Listing 322

No. 6—JUNE

Guy Richard Bisby, 1889-1958 — T. Johnson 323

Insect transmission of the leaf-crumple virus of cotton — E. F. Laird, Jr., and R. C. Dickson 324

Streptomyces spp. as a cause of natural fungitoxicity in soils — John L. Lockwood 327

Inheritance in cowpea of resistance to tobacco ringspot virus — Donald J. deZeeuw and J. Clark Ballard 332

Xylem formation as a factor in oak wilt resistance — Donald F. Schoeneweiss 335

A new strain of ring pox virus in Royal apricot — George Nyland and H. E. Thomas 338

Chemical and biological studies on a reaction between captan and the dialkyldithiocarbamates — Raymond J. Lukens 339

Some host and vector relationships of strains of the barley yellow-dwarf virus — H. V. Toko and G. W. Bruehl 343

Comparison of degree and duration of susceptibility of barley to ergot and true loose smut — W. P. Campbell and L. E. Tyner 348

Effects of inoculations with Leptographium spp. on western white pine — Charles D. Leaphart and Lake S. Gill 350

Effects of gamma radiation on brown rot and Rhizopus rot of peaches and the causal organisms — Louis Beraha, G. B. Ramsey, M. A. Smith, and W. R. Wright 354

Development of Pratylenchus penetrans and Tylenchorhynchus martini on red clover and alfalfa — Richard A. Chapman 357

Rhizopus decay of sweet potatoes as affected by chilling, recuring, and hydrowarming after storage — T. T. McClure 359

Entomosporium leaf spot of Photinia glabra and Photinia serrulata — P. D. Stathis and A. G. Plakidas 361

Cucurbit mosaic viruses in California — R. G. Grogan, D. H. Hall, and K. A. Kimble 366

Factors affecting development and morphology of reproductive structures of the soybean root and stem rot Phytophthora — H. Harvey Klein 376

Etiology of the Phytophthora diseases of soybeans — H. Harvey Klein 380

Genetics of Cochliobolus heterostrophus. IV. A mutant gene that prevents perithecial formation — R. R. Nelson 384

Production of new races of Puccinia graminis var. tritici by vegetative fusion — G. H. Bridgmon 386

Morphogenesis and histopathology of lesions induced on citrus roots by Radopholus similis — E. P. DuCharme 388

A Phytopathological Note

Transmission of wheat streak mosaic virus to corn by the Eriophyid mite, Aceria tulipae — W. H. Sill, Jr., and Maria S. del Rosario 396

Book Listing 396

No. 7—JULY

Factors affecting the development of Rhynchosporium scald on brome grass — Edgar V. Christensen and Roy D. Wilcoxson 397

Mechanisms of infection of sweet potato roots by Rhizopus stolonifer — D. N. Srivastava and J. C. Walker 400

Factors affecting a seedling test for evaluating resistance of pea to Aphanomyces root rot — John L. Lockwood and J. C. Ballard 406

Botrytis cinerea the cause of ghost-spot disease of tomato — Juan B. Ferrer and John H. Owen 411

Responses of root-lesion nematodes, Pratylenchus brachyurus and P. zeae, to various plants and soil types — Burton Y. Endo 417

The effect of the polyene antibiotic fungichromin on the free and combined amino acids of Verticillium albo-atrum — J. P. Ross 422

Comparative population trends of Xanthomonas phaseoli in susceptible, field tolerant and resistant hosts — Albert L. Scharen 425

New races from mixtures of urediospores of varieties of Puccinia graminis — G. H. Bridgmon and Roy D. Wilcoxson 428

Purple stain of soybean seeds incited by several Cercospora species. JOHN P. JONES 430

Influence of environmental factors on the development of wheat bunt in the Pacific Northwest. II. Effect of soil temperature and soil moisture on infection by seed-borne spores. E. L. KENDRICK AND LAURENCE H. PURDY 433

Differential host and serological relationships of potato virus M, potato virus S, and carnation latent virus. R. H. BAGNALL, C. WETTER, AND R. H. LARSON 435

Size and shape of the particles of potato virus S, potato virus M, and carnation latent virus. J. BRANDES, C. WETTER, R. H. BAGNALL, AND R. H. LARSON 443

The effect of local infection with tobacco mosaic virus on respiration in leaves of Nicotiana glutinosa. AKIRA YAMAGUCHI AND TOKUZO HIRAI 447

PHYTOPATHOLOGICAL NOTES

An inhibitor of Verticillium albo-atrum in cotton seed. R. H. GARBER AND BYRON R. HOUSTON 449

Growth of six races of Phytophthora infestans on artificial media. H. DAVID THURSTON, PETER WILDE, AND THEODORE W. SUDIA 450

Inhibition of starch formation by Claviceps purpurea. W. P. CAMPBELL 451

Failure of thrips to transmit an isolate of tomato spotted wilt virus. JOHN P. JONES 452

The early, dwarf symptom of bacterial ring rot of potato in Idaho. JAMES W. GUTHRIE 453

The mineral oil seal method for maintaining cultures of Tilletia caries for long periods. E. L. KENDRICK 454

Single-spore inoculation and increase applicable to the rust fungi. R. D. MILHOLLAND AND H. C. YOUNG, JR. 455

The relationship of culture substrate to staining of Phytophthora species with zinc-chlor-iodide. J. W. BUSHONG AND J. W. GERDEMANN 455

Book listings 456

No. 8—AUGUST

A selective indicator medium for isolating Streptomyces scabies from potato tubers or soil. J. D. MENZIES AND CAROLINE E. DADE 457

A root-lesion-nematode disease of Cymbidium orchids. S. A. SHER 458

Control of pre-emergence damping-off and two leaf-spot diseases of sesame by seed treatment. C. A. THOMAS 461

Spread and life cycle of the lettuce powdery mildew fungus. W. C. SCHNATHORST 464

Host-pathogen interaction of the genes for resistance in Hordeum vulgare and for pathogenicity in Erysiphe graminis f. sp. hordei. J. G. MOSEMAN 469

Postharvest decay of peaches as affected by temperatures after hydrocooling in water or Dowicide A solutions. T. T. MCCLURE AND W. L. SMITH, JR. 472

Some studies in the use of ionizing radiation to control botrytis rot in table grapes and strawberries. K. E. NELSON, E. C. MAXIE, AND W. EUKEL 475

Fusarium blight of birdsfoot trefoil. RICHARD E. FORD 481

Resistance of onion to downy mildew. S. Z. BERRY 486

The relation of sapwood moisture content to the incidence of maple wilt caused by Verticillium albo-atrum. NESTOR E. CAROSELLI 496

Taxonomy of the Peronospora species on Cruciferae and Chenopodiaceae
WILLIAM D. YERKES, JR., AND CHARLES GARDNER SHAW 499

The airbrush as a tool in virus inoculations R. C. LINDNER AND HUGH C. KIRKPATRICK 507

Wood decay of the grapevine and its relationship with black measles disease
LUIGI CHIARAPPA 510

Open calyx tubes as a factor contributing to carpel discoloration and decay of apples
P. M. MILLER 520

Report of the 1959 meeting of the Potomac Division of the American Phytopathological Society 523

PHYTOPATHOLOGICAL NOTES

Rhizoctonia solani inciting a collar rot of tea
K. S. VENKATARAMANI AND C. S. VENKATA RAM 527

An alcohol agar medium selective for determining Verticillium microsclerotia in soil MATHEW J. NADAKAVUKAREN AND CHESTER E. HORNER 527

Assay of alfalfa mosaic virus activity KARL D. FEZER AND A. F. ROSS 529

Large-scale soil fumigation against broomrape
STEPHEN WILHELM, R. C. STORKAN, JAMES E. SAGEN, AND T. CARPENTER 530

The uptake of vital dyes by the mycelium of wheat stem rust in situ
WILLIAM SILVERMAN 531

Book listing 532

No. 9—SEPTEMBER

Abstracts of papers accepted for presentation at the fifty-first annual meeting of the American Phytopathological Society 533

Toxicity of N-methyl dithiocarbamate and methyl isothiocyanate to Rhizoctonia solani
R. T. WEDDING AND J. B. KENDRICK, JR. 557

Resistance in lettuce to powdery mildew related to osmotic value W. C. SCHNATHORST 562

Xylem necrosis and root rot of alfalfa associated with excessive irrigation and high temperatures D. C. ERWIN, B. W. KENNEDY, AND W. F. LEHMAN 572

Extracellular oxidative enzymes of wood-inhabiting fungi associated with the heart rot of living grapevines LUIGI CHIARAPPA 578

Some effects of crop rotation on the Fusarium root rot of bean
OTIS C. MALOY AND WALTER H. BURKHOLDER 583

Metabolism of oats susceptible to Helminthosporium victoriae and victorin
L. R. KRUPKA 587

The nature and fungitoxicity of an amino acid addition product of chlorogenic acid
R. S. CLARK, J. KUC, R. E. HENZE, AND F. W. QUACKENBUSH 594

Variability among strains of noncultivated species of Avena for reaction to races of the crown rust fungus M. D. SIMONS 598

The relationship of the root-knot nematode, Meloidogyne javanica, to Fusarium wilt of cowpea IVAN J. THOMASON, D. C. ERWIN, AND M. J. GARBER 602

Relations between inoculum density and infection of wheat by uredospores of Puccinia graminis var. tritici LAWRENCE J. PETERSEN 607

Artificial inoculations of pine and spruce trees with Armillaria mellea
R. F. PATTON AND A. J. RIKER 615

No. 10—OCTOBER

Seed and seedling infection of barley by Rhynchosporium secalis ... W. P. Skoropad 623

Disease control through intimate mixing of mercuric oxide with soil ... John Grainger 627

The relation of environment to the ringspot (Mycosphaerella brassicicola) disease of crucifers ... Merritt R. Nelson and Glenn S. Pound 633

The influence of temperature on root rots of poinsettia caused by Thielaviopsis basicola, Rhizoctonia solani, and Pythium ultimum ... D. F. Bateman and A. W. Dimock 641

Occurrence and transfer of a biological factor in soil that suppresses potato scab ... J. D. Menzies 648

Demonstration of physiological races within three root-knot nematode species attacking alfalfa ... Bernard P. Goplen, Ernest H. Stanford, and Merlin W. Allen 653

Streak-inciting viruses of canning pea ... W. S. Kim and D. J. Hagedorn 656

Biology and control of the stem nematode, Ditylenchus dipsaci ... K. R. Barker and J. N. Sasser 664

The root rot complex of Vitis vinifera in California ... Luigi Chiarappa 670

Physiologic specialization of Phytophthora infestans in Israel ... N. Kedar (Kammermann), J. Rotem, and I. Wahl 675

Fungistatic activity of captan in pea seedlings after treatment of the seeds or roots of seedlings ... V. R. Wallen and I. Hoffman 680

Pathogenicity of fungi isolated from diseased cotton seedlings ... N. D. Fulton and Katharina Bollenbacher 684

The detached-leaf technique for testing alfalfa clones for resistance to black stem ... C. H. Ward 690

No. 11—NOVEMBER

Development and transmission of tobacco ringspot virus in soybean ... Kirk L. Athow and J. B. Bancroft 697

A temperature-relative humidity index for predicting the occurrence of bacterial soft rot of Irish potatoes ... J. B. Kendrick, Jr., Randolph T. Wedding, and Albert O. Paulus 701

Lychnis ringspot ... C. W. Bennett 706

Partial purification and association of filamentous particles with the yellow mosaic disease of bean ... J. B. Bancroft and Paul Kaesberg 713

Studies on resistance in tomato to root-knot nematodes and on the occurrence of pathogenic biotypes ... R. D. Riggs and N. N. Winstead 716

Factors affecting spore germination of twelve species of Tilletia from cereals and grasses ... J. P. Meiners and J. T. Waldher 724

Transmission of potato mottle virus to, and from, citrus plants by mechanical inoculation ... Francis O. Holmes 729

Symptoms and host-parasite relations of the Alternaria leafspot disease of cucurbits ... Curtis R. Jackson 731

Free amino acids in the cultural media and cells of Fusarium solani f. phaseoli ... Charles W. McAnelly 734

Development of the grape dead-arm disease ... T. S. Pine 738

Transmission of strains of barley yellow dwarf by two aphid species ... W. F. Rochow 744

Biological properties of red clover vein mosaic virus ..... EVAMARIE SANDER 748

Effect of plant residues on root rot of bean
WILLIAM C. SNYDER, MILTON N. SCHROTH, AND THEODOSIOS CHRISTOU 755

A continuous spore sampler ..... S. M. PADY 757

A disease of carnations caused by the nematode Criconemoides xenoplax ..... S. A. SHER 761

A comparative study of the fungi causing the spring blackstem disease of alfalfa and red clover ..... ALBERT H. ELLINGBOE 764

Arthur J. Mix, 1888-1956 ..... NORVEL M. MCCLUNG 771

No. 12—DECEMBER

Studies on the growth of Phoma herbarum var. medicaginis in culture
ALBERT H. ELLINGBOE 773

Green ring mottle virus as an entity distinct from the sour cherry ring spot and yellows viruses ..... THOMAS H. BARKSDALE 777

The inhibitory activity of plant juices on the infectivity of potato virus X
W. BLASZCZAK, A. FRANK ROSS, AND R. H. LARSON 784

Physiologic specialization in Peronospora manshurica
DON F. GRABE AND JOHN DUNLEAVY 791

Differential host range of the monocaryon and the dicaryons of a eu-autoecious rust
H. H. FLOR 794

Collar rot of pear trees in British Columbia ..... D. L. MCINTOSH 795

Hybridization between radiation-induced mutants of two varieties of Diaporthe phaseolorum ..... J. T. THREINEN, THOR KOMMEDAHL, AND R. J. KLUG 797

Comparative inhibition of virus multiplication by certain types of chemicals
R. C. LINDNER, HUGH C. KIRKPATRICK, AND T. E. WEEKS 802

Cochliobolus carbonum, the perfect stage of Helminthosporium carbonum
R. R. NELSON 807

A method of freeing white clover plants of bean yellow mosaic virus
L. W. BAXTER, JR. AND N. E. MCGLOHON 810

Colletotrichum blight of dwarf mistletoe
J. R. PARMETER, JR., J. R. HOOD, AND R. F. SCHARPF 812

Sesame blight caused by Helminthosporium sesami ..... WILLIAM J. STONE 815

Helminthosporium rostratum inciting ear rot of corn and leaf-spot of thirteen grass hosts ..... MARVIN D. WHITEHEAD AND OSCAR H. CALVERT 817

The chemotherapy of wheat and bean rust diseases with sydnones
D. DAVIS, H. J. BECKER, AND E. F. ROGERS 821

Tristeza virus strains in relation to different citrus species used as test plants
THEODORE J. GRANT 823

PHYTOPATHOLOGICAL NOTES

The effect of variations in temperature on the necrosis associated with infection type 2 uredia of the wheat stem rust fungus ..... WILLIAM SILVERMAN 827

Pythium species still living in muck soil air-dried six years ..... PAUL E. HOPPE 830

Hyperparasitism of a powdery mildew fungus on the London plane tree
E. B. HIMELICK AND DAN NEELY 831

A controlled-temperature chamber
DAVID L. GERWITZ, T. W. SUDIA, AND RICHARD D. DURBIN 832

INDEX

For Volume 49

INDEX FOR VOLUME 49

AUTHOR AND SUBJECT INDEX. Junior authorship is indicated by page numbers in parentheses. Page numbers of illustrations are in bold face. A special listing is made of "new species, varieties, etc."

abstracts, APS meetings
  APS, 1959 533
  Northeastern Division, 1958 227
  Pacific Division, 1958 112
  Potomac Division, 1959 523
  Southern Division, 1959 315
Aceria tulipae, wheat streak mosaic transmission by, to corn 396
acetic acid, toxicity, to 6 species of fungi 551
actinomycetes, isolation, those antagonistic to plant-pathogenic fungi 270, **271**
Agallia constricta
  vector of wound tumor potato yellow dwarf viruses, genetic variation in transmission 546
  wound tumor virus in, serological measurement of soluble antigen 554
alfalfa
  Ascochyta imperfecta in, reliability of detached-leaf tests for 229
  Corynebacterium insidiosum in, nutrition of host, relation to development of bacterial wilt 320
  Meloidogyne hapla in, two biotypes 653
  Meloidogyne hapla and M. incognita in, effects on growth 535
  Meloidogyne incognita acrita in, three biotypes 653
  Meloidogyne javanica javanica in, two biotypes 653
  Phoma herbarum medicaginis in
    local dissemination 548
    spore inoculation 533
    testing clones for resistance 690
  Pratylenchus penetrans in, effect with Tylenchorhynchus martini 357
  snow mold fungus in, toxic substance measures pathogenesis 303, **304**
  spring blackstem disease, see (under **alfalfa**) Phoma herbarum medicaginis
  suitability as host, to Pratylenchus brachyurus and P. zeae 417
  tobacco streak virus from, new strain infectious to bean 555
  toxic effects, of extracts from quackgrass 548
  Tylenchorhynchus martini in, effect with Pratylenchus penetrans 357
  xylem necrosis and root rot, associated with excess irrigation and temperatures 572, **573, 575**
Allen, Merlin W. (653)
Alternaria leaf blight, see (under **fungi**) Alternaria
amino acids
  addition product of chlorogenic acid, nature and fungitoxicity to Helminthosporium carbonum 594
  effect on Venturia inaequalis in apple 313
  in cells of Xanthomonas vesicatoria 523
  in Colletotrichum capsici, as affected by copper and glyodin 525
  in Verticillium albo-atrum, effect of fungichromin 422
Anderson, C. W. 97, 117, (198)
angular leaf spot, see (under **fungi**) Isariopsis griseola
annual meeting APS
  proceedings for 1958 162
  abstracts for 1959 533
antibiotics
  filipin, inhibition effects on 55-60 fungi 539
  fungichromin, effect on amino acids of Verticillium albo-atrum 422
  GSI, effective against Uromyces phaseoli, Pseudoperonospora cubensis, Fusarium solani cucurbitae, and Ascochyta pisi 112
  pimaricin, prevention of oxidative destruction of 113
antibiotics (continued)
  streptomycin
    resistance by Pseudomonas tabaci 553
    uptake by leaves of apple, pepper, bean, and coleus 539
    Xanthomonas citri control on Citrus aurantifolia 224
  vancomycin, absorption from soil by cucumber and pea, adsorption to soil, antibacterial spectrum, inactivation by microflora, translocation in 7 plant types 177
American Phytopathological Society, charter members and presidents (photographs) 233-248
apple
  Agrobacterium rhizogenes, effect on tree growth 88, **89**
  Agrobacterium tumefaciens, effect on tree growth 88, **89**
  Alternaria, carpel discoloration from injection of 520, **521**
  Aspergillus niger, carpel discoloration from injection of 520, **521**
  Botryosphaeria fruit rot, lead arsenate as fungicide 524
  Botryosphaeria ribis in, etiology on wood and fruit 523
  Botrytis, carpel discoloration from injection of 520, **521**
  carpel discoloration and decay, Alternaria, Botrytis, Fusarium, and Aspergillus niger 520, **521**
  crown gall, see (under **apple**) Agrobacterium tumefaciens
  Cytospora rubescens in, relation of temperature to pathogenicity 114
  Fusarium, carpel discoloration from injection of 520, **521**
  hairy root, see (under **apple**) Agrobacterium rhizogenes
  internal bark necrosis, different causes on Red Delicious from on Jonathan 526
  quack grass toxicity to seedlings 228
  scab, see (under **apple**) Venturia inaequalis
  scab on, effect of Cyprex residues 546
  sooty blotch, lead arsenate as fungicide 524
  streptomycin, uptake by leaves 539
  terminal scab, lead arsenate as fungicide 524
  Venturia inaequalis in, susceptibility as affected by amino acids 313
Apple, J. L. 37
apricot
  Cytospora rubescens in, effect of temperature on pathogenicity 114
  Phytophthora syringae, isolated from stem cankers 114
  ring pox of, new strain 338, **338**
Ark, Peter A. 112, (113)
artichoke, newly discovered latent virus 49
ascorbic acid, protection of pimaricin against oxidative destruction 113
Ashworth, Lee J., Jr. 533, 533
asparagus
  Fusarium oxysporum asparagi in, associated with decline and replant problem 122, **123**
  Pratylenchus penetrans in, very poor host 525
assay
  fungi, Tilletia caries, reaction of seedlings of wheat variety Red Bobs 130, **131**
  viruses, brome grass mosaic, local-lesion assay on Chenopodium hybridum 126, **127**
aster, eastern aster yellows virus in, results on Dalbulus maidis 545
Athow, Kirk L. 697
Atkins, I. M. (254)
Atkins, John G. (184), 189, 533
Aycock, Robert 12
bacteria
  Agrobacterium rhizogenes
    inhibition by vancomycin 177
    on apple, effect on tree growth 88, **89**
  Agrobacterium tumefaciens
    inhibition by vancomycin 177
    on apple, effect on tree growth 88, **89**

bacteria (continued)
Bacillus subtilis, inhibition by vancomycin 177
Corynebacterium flaccumfaciens
bacteriophage for 107, **110**, **111**
inhibition by vancomycin 177
Corynebacterium insidiosum
antagonism among strains 547
on alfalfa, host nutrition and wilt development 320
persistence in soil 547
white forms, occurrence and pathogenicity 539
Corynebacterium michiganensis, inhibition by vancomycin 177
Corynebacterium poinsettiae, bacteriophage for 107, **110**, **111**
Corynebacterium sepedonicum, in potato, early dwarf symptom 453, **453**, **454**
Corynebacterium tritici, inhibition by vancomycin 177
Erwinia, in chicory, effect on electrical conductance 539
Erwinia amylovora, inhibition by vancomycin 177
Erwinia aroideae, inhibition by vancomycin 177
Erwinia atroseptica, inhibition by vancomycin 177
Erwinia carotovora
in potato, temperature-relative humidity index for predicting incidence 701
inhibition by vancomycin 177
see (under **bacteria**) Pectobacterium carotovorum
Pectobacterium carotovorum, incitant of rhizome rot of banana 290, **290**, **291**
Pseudomonas, effect on electrical conductance in chicory 539
Pseudomonis apii, inhibition by vancomycin 177
Pseudomonas aptata, inhibition by vancomycin 177
Pseudomonas atrofaciens, inhibition by vancomycin 177
Pseudomonas caryophilli, culture indexing and control 547
Pseudomonas cornafaciens, inhibition by vancomycin 177
Pseudomonas marginalis
enzymes of and their effect on lettuce 141
inhibition by vancomycin 177
loss of virulence related to loss of synthesis of pectolytic enzymes 227
relation of Rhizoglyphus echinopus to in gladiolus 538
Pseudomonas phaseolicola, inhibition by vancomycin 177
Pseudomonas pisi, inhibition by vancomycin 177
Pseudomonas sesami, sesame seed treatment with streptomycin 461
Pseudomonas solanacearum
inhibition by vancomycin 177
respiration of tobacco stem tissue 545
Pseudomonas syringae, inhibition by vancomycin 177
Pseudomonas tabaci
development of resistance to streptomycin 553
inhibition by vancomycin 177
interspecific transfer of resistance in tobacco 551
Xanthomonas beticola, inhibition by vancomycin 177
Xanthomonas cajani, inhibition by vancomycin 177
Xanthomonas campestris, inhibition by vancomycin 177
Xanthomonas carotae, inhibition by vancomycin 177
Xanthomonas cassiae, inhibition by vancomycin 177
Xanthomonas citri, control on lime with streptomycin 224
Xanthomonas malvacearum
cotton yield losses from 315
variability for pathogenicity on cotton 534
Xanthomonas phaseoli
in bean, population trends 425
inhibition by vancomycin 177
Xanthomonas pruni, inhibition by vancomycin 177
Xanthomonas stewartii, inhibition by vancomycin 177
Xanthomonas vesicatoria
amino acids and sugars in 523
inhibition by vancomycin 177
bacterial ring rot, see (under **bacteria**) Corynebacterium sepedonicum
bacterial scab, see (under **bacteria**) Pseudomonas marginalis
bacterial soft rot, see (under **bacteria**) Erwinia carotovora
bacteriophages, for Corynebacterium flaccumfaciens and C. poinsettiae 107, **110**, **111**
Bagnall, R. H. 435, (443)
Baker, R. R. (547)
Ballard, J. C. (406)
Ballard, J. Clark (332)
banana
Fusarium oxysporum cubense in
fusaric acid isolated 230
water economy of 61
Mycosphaerella musicola in, oil-spray control, action of 119, **120**
Pectobacterium carotovorum in, incitant of rhizome rot 290, **290**, **291**
rhizome rot, see (under **banana**) Pectobacterium carotovorum
Sigatoka leafspot control, evaluation of low-volume oil sprays 535
Bancroft, J. B. (697), 713
Banttari, E. E. 533, 539
Bardin, Roy (49)
Barker, K. R. 664
Barker, Kenneth R. 315
Barksdale, Thomas H. 777
barley
barley yellow dwarf in, host-vector relations 343
blue dwarf virus in, transmitted to flax by Macrosteles fascifrons 539
covered smut of, toward a uniform test for 548
ergot, see (under **barley**) Claviceps purpureae
Claviceps purpureae in, compared with Ustilago nuda 348
Erysiphe graminis hordei in
genes conditioning resistance to various races 207
host-pathogen gene interactions 469
loose smut, see (under **barley**) Ustilago tritici and U. nuda
powdery mildew, see (under **barley**) Erysiphe graminis hordei
Rhynchosporium secalis in
resistance in world collection 549
seed and seedling infection 623
suitability as host
to Pratylenchus brachyurus 417
to Pratylenchus zeae 417
true loose smut, see (under **barley**) Ustilago nuda
two kinds of dwarfing, caused by virus transmitted by Macrosteles fascifrons 533
Ustilago nuda in
seedling inoculation with chlamydospores 542
temperature effect on development 543
Ustilago tritici in
seedling inoculation with chlamydospores 542
temperature effect on development 543
Barnes, E. (313)
Barnes, J. M. 533
Bateman, D. F. 533, 641
Baxter, L. W., Jr. 810
bean
alfalfa mosaic virus in, new strain causing vein necrosis 526
bean yellow mosaic, veinal necrosis, and white clover mosaic viruses in, tests on 525
captan on red kidney, phytotoxicity of 526
Cercospora vanderysti, newly reported to infect bean 133, **134**
Fusarium solani phaseoli in
effect of crop rotation on 583
effect of plant residues on 755, **756**
influence of nitrogen and glucose nutrition 552
multiple clonal types in field soil 310, **311**
Isariopsis griseola, seed transmission, evidence for 159
Pratylenchus in, effects of crop rotation on 583
Rhizoctonia solani in, effect of plant residues 755, **756**
Rhizoctonia solani on snap beans, green organic soil amendments for control 525
root rot, see (under **bean**) Fusarium solani phaseoli, Rhizoctonia solani, and Thielaviopsis basicola

bean (continued)
rust, 3-phenylsydnones for therapy 821
stunting bean virus in, interaction with potassium gibberellate 555
suitability as host, to Pratylenchus brachyurus and P. zeae 417
test plants for alfalfa mosaic virus, screening of 11 varieties 529
Thielaviopsis basicola in, effect of plant residues 755, **756**
tobacco mosaic virus in, influence of viral protein on infection 549
tobacco necrosis virus, found in systemic infection 228
tobacco-streak virus
new strain producing lesions and necrosis 43, **44**
new strain isolated from alfalfa 555
uptake of streptomycin by leaves of 539
vein necrosis virus in, new strain of alfalfa mosaic 526
Xanthomonas phaseoli in, population trends of 425
yellow bean mosaic in, partial purification and association of filamentous particles with 713, **714**
Bean, George A. 533
bean root rot, see (under **bean**) Fusarium solani phaseoli, Rhizoctonia solani, and Thielaviopsis basicola
bean rust, carbon metabolism, effect of washing 551
Becker, H. J. (821)
Beckman, C. H. 227
beets, Rhizoctonia solani, Pythium irregulare, and Fusarium on, interactions 537
Bega, Robert V. 54
bell pepper, virus resistance, multiple 198, **199, 200**
Bennett, C. W. 706
bentgrass, Sclerotinia homeocarpa in, influence of nutrition, pH, and soil moisture 537
Beraha, L. 534
Beraha, Louis 91, 354
Berbee, J. G. (88)
Berry, Charles R. 534
Berry, S. Z. 486, 534
biographical sketches
Bisby, Guy Richard 323
Arthur J. Mix 771
Bird, L. S. 315, (315)
birdsfoot trefoil
Fusarium roseum
demonstrated as cause of stem and leaf blight on 227
cause of blight 481, **482, 483**
Bisby, Guy Richard, biographical sketch 323
black knot, see (under **fungi**) Dibotryon morbosum
Black, L. M. (550), (554)
black measles, of grape, relation to wood decay 510, **511-513, 516-518**
Blackmon, Cyril W. 315
black root rot, pine seedlings, Sclerotium bataticola and Fusarium spp. associated with 318
black shank, see (under **fungi**) Phytophthora parasitica nicotianae
Blaszczak, W. 784
Bloom, J. R. 534, (537)
blueberry
Coryneum microstictum in, cause of previously undescribed canker 556
Dothichiza caroliniana and Gloeosporium minus in 65, **66**
Pratylenchus penetrans in, very poor host 525
shoestring virus in
dormant plant symptoms 553
effect of heat treatment 539
blue dwarf, of oats, caused by virus transmitted by Macrosteles fascifrons 533
bluegrass, Sclerotinia homeocarpa in, influence of nutrition, pH, and soil moisture 537
Bollenbacher, Katharina (684)
book listings 232, 322, 396, 456, 532
Boosalis, M. G. 192
Boswell, T. E. 316, 316
Botryosphaeria fruit rot, apple, lead arsenate as fungicide 524
Boyle, John S. 227
Brandes, J. 443
Bridgmon, G. H. 386, 428
Brinkerhoff, L. A. 534
Britton, Michael P. 287
broccoli, Pratylenchus penetrans in, excellent host 525
brome grass, Rhynchosporium secalis in, factors affecting development 397
Bromus inermis, Pyrenophora bromi in, artificial inoculation with ascospores 542
broomrape, methyl bromide control, large-scale field success 530, **531**
Brown, Irwin F., Jr. 534
brown rot, see (under **fungi**) Sclerotinia fructicola and Monilinia fructicola
Bruehl, G. W. (343), (551)
Brun, W. A. (535)
bunt, on wheat, toward a uniform test for 548
bunt, see (under **fungi**) Tilletia caries
Burchfield, H. P. (544), (551)
Burkholder, Walter H. (583)
Burris, R. H. (552)
Burton, Clyde L. 535
Bushong, J. W. 455
Butler, Edward E. 231
cabbage
captan on, phytotoxicity of 526
Mycosphaerella brassicicola in, relation of environment 633, **635, 638**
Plasmodiophora brassicae in, sodium methyldithiocarbamate on 227
cacao, Phytophthora palmivora in, varietal difference between isolates from rubber 210, **211**
Calavan, E. C. 113
Calpouzos, L. 119, 535, 535
Campbell, W. P. 348, 451
Cardona-Alvarez, C. (159)
Cardona-Alvarez, Canuto (133)
Carmen, Llanos M. 535
carnation
Criconemoides xenoplax in, cause of "ring nematode decline" 761, **762**
Fusarium oxysporum dianthi in
culture indexing and control 547
wilt incidence effect of 6 Meloidogyne spp. 550
Pseudomonas caryophilli in, culture indexing and control 547
vascular wilt, see (under **carnation**) Fusarium oxysporum dianthi and Pseudomonas caryophilli
Caroselli, Nestor E. 496
Carpenter, T. (530)
carrot
Ceratostomella fimbriata in, mechanism for resistance 536
Pratylenchus penetrans in, fair host 525
cedar, Port Orford, see Chamaecyparis lawsoniana
celery, Cercospora apii in, seedling test for determining resistance 546
Ceponis, M. J. 141, (227)
cereal rusts, influence of nickel compounds 1
Cetas, R. C. 227, 227
Chakravarti, B. P. 535, 535
Chamaecyparis lawsoniana, Phytophthora lateralis in, pathology 306, **307**
Chapman, Richard A. 357, 535
charter members, American Phytopathological Society (photographs) 233-242
Chattopadhyay, S. B. 536
chemicals
bis [N-(2-hydroxyethyl)dodecylbenzylamine] nickel (II) chloride
leaf rust of wheat 1
stem rust of wheat 1

chemicals (continued)
bis [N-(2-hydroxyethyl)dodecylmethylbenzylamine] nickel (II) chloride
stem rust of wheat 1
Bordeaux mixture, Mycosphaerella musicola control on banana, compared with oil sprays 119, **120**
captan
against Rhizoctonia solani, Pythium irregulare, and Fusarium 537
Alternaria leaf blight control in sweet Spanish onion 228
Ceratocystis fimbriata on sweet potato, control tests 249, 252, **253**
fungistatic activity in pea 680, **682**
fungitoxic action, compared with 3,4-dichlorobenzenesulfonate-SCCl$_3$, N-3,4-dichlorobenzenesulfonamide-p-nitrobenzene-SCCl$_3$, and N-carbazole-SCCl$_3$ 544
fungitoxicity reversed by l-histidine 321
narcissus bulb treatments, phytotoxicity 12, **14**
on 11 tree-decay fungi, slowing of colony extension 545
phytotoxicity to tomato, red kidney bean, corn, cucumber, and peppermint 526
reaction with sodium dimethyldithiocarbamate 339
reaction with the dialkyldithiocarbamates 228
seed treatment with, control of pre-emergence damping-off 461
smooth bromegrass seed treatment 8
toxicity increased with cobalt 228
N-carbazole-SCCl$_3$, fungitoxic action, compared with captan, 3,4-dichlorobenzenesulfonate-SCCl$_3$, and N-3,4-dichlorobenzenesulfonamide-p-nitrobenzene-SCCl$_3$ 544
chlorinated heterocyclic sulfur compound (DAC 6N49), against Rhizoctonia solani, Pythium irregulare, and Fusarium 537
2-chloro-4-(hydroxymercuri)phenol and isomers; 4-(hydroxymercuri)-2-nitrophenol and isomers
control tests on Ceratocystis fimbriata in sweet potato 249, 252, **253**
3-p-chlorophenyl-5-methyl rhodanine, Aphelenchoides besseyi control in rice, most promising of chemicals tested 184
chloropicrin
new uses as a soil fungicide: control of Pythium ultimum, Rhizoctonia solani, red stele, Pratylenchus, and Verticillium in potato and strawberry 113
Streptomyces ipomoea on sweet potato 544
cobalt, pretreatment with, to increase captan toxicity 228
copper-containing sprays, best control of greasy spot of citrus 536
copper 2-pyridinethione 1-oxide, against Rhizoctonia solani, Pythium irregulare, and Fusarium 537
cuprous oxide, against Rhizoctonia solani, Pythium irregulare, and Fusarium 537
cyano(methylmercuri)guanidine
against Rhizoctonia solani, Pythium irregulare, and Fusarium 537
Aphelenchoides besseyi control on rice, tests for 184
1,2-dibromo-3-chloropropane, Pratylenchus brachyurus on peanut, application methods tested for control 317
1,2-dibromoethane
Meloidogyne incognita acrita, control in sweet potato 135
retention in soil and effects on Heterodera spp. 540
dichlone, on 11 tree-decay fungi, slowing of colony extension 545
N-3,4-dichlorobenzenesulfonamide-p-nitrobenzene-SCCl$_3$, fungitoxic action, compared with captan, 3,4-dichlorobenzenesulfonate-SCCl$_3$, and N-carbazole-SCCl$_3$ 544
3,4-dichlorobenzenesulfonate-SCCl$_3$, fungitoxic action, compared with captan, N-3,4-dichlorobenzenesulfonamide-p-nitrobenzene-SCCl$_3$, and N-carbazole-SCCl$_3$ 544
2,4-dichloro-6-(o-chloroanalino) triazine
Alternaria leaf blight control in sweet Spanish onion 228
Ceratocystis fimbriata in sweet potato control tests 249, 252, **253**
greasy spot of citrus 536

chemicals (continued)
2,3-dichloro-1,4-naphthoquinone, Botrytic cinerea control in strawberry 228
1,3-dichloropropene; 1,2-dichloropropane
Meloidogyne incognita acrita, control in sweet potato 135
retention in soil and effects on Heterodera spp. 540
0,0-diethyl-0-2-pyrazinyl phosphorothioate, control of Ditylenchus dipsaci 664, **668**
p-dimethylaminoabenzenediazo sodium sulfonate, against Rhizoctonia solani, Pythium irregulare, and Fusarium, 537
2,4-dinitrophenyl thiocyanate, soil fumigation, survival of Meloidogyne incognita acrita in excised grape roots 543
dinoseb, Sclerotium rolfsii control, tests on peanut 317
disodium ethylenebis dithiocarbamate, Alternaria leaf blight control in sweet Spanish onion 228
n-dodecylguanidine acetate
mechanism of action on Saccharomyces pastorianus 534
residues on apple and scab effect 546
dose response curves, interpretation of 544
enzymes as, chitinase from Lycoperdon gemmatum, suppression of Aspergillus niger 541
(3-ethoxypropyl)mercury bromide, Aphelenchoides besseyi control on rice, tests for 184
N-(ethylmercuri)-p-toluenesulfonanilide
Aphelenchoides besseyi control on rice, tests for 184
Helminthosporium on oat, control 318
narcissus bulb treatments, phytotoxicity 12, **14**
smooth bromegrass seed treatment 8
ethylmercury phosphate, Aphelenchoides besseyi control on rice, tests for 184
ethyl 3-(1-naphthoyl)-propionate, effect on tomato resistance to Fusarium oxysporum lycopersici 68
ethyl 3-(2-naphthoyl)-propionate, effect on tomato resistance to Fusarium oxysporum lycopersici 68
ethyl 4-(2-naphthyl)-butyrate, effect on tomato resistance to Fusarium oxysporum lycopersici 68
ferbam
Ceratocystis fimbriata on sweet potato, control tests 249, 252, **253**
Cronartium strobilinum on slash pine, control 318
on 11 tree-decay fungi, slowing of colony extension 545
plus iron salt of 2-mercaptobenzothiazole, for Alternaria leaf blight control in sweet Spanish onion 228
reaction with captan 228
field-plot sprayer 227
1,4,5,6,7,7-hexachloro-N-(ethylmercuri)bicyclo[2.2.1]hept-5-ene-2,3-dicarboximide, narcissus bulb treatments, phytotoxicity 12, **14**
l-histidine, fungitoxicity reversed by captan 321
lead arsenate, on terminal scab, sooty blotch, and Botryosphaeria fruit rot of apple 524
low-volume oil sprays, failure with 4 Cercospora spp. 535
manganous ethylenebis [dithiocarbamate], Alternaria leaf blight control in sweet Spanish onion 228
methyl bromide, broomrape control, large-scale field success 530, **531**
N-methyl dithiocarbamate, toxicity to Rhizoctonia solani 557
3-methyl-5-ethyl rhodanine, Aphelenchoides besseyi control in rice, tests for 184
methyl isothiocyanate, toxicity to Rhizoctonia solani 557
milk, as a control of tobacco mosaic virus in pepper, tomato, and tobacco 318
mineral oil, Mycosphaerella musicola on banana 119, **120**
monocalcium meta-arsenite, pecan scab, tested as late dormant spray 317
3-(1-naphthoyl)-propionic acid, effect on tomato resistance to Fusarium oxysporum lycopersici 68
3-(2-naphthoyl)-propionic acid, effect on tomato resistance to Fusarium oxysporum lycopersici 68
1-naphthylacetic acid, effect on tomato resistance to Fusarium oxysporum lycopersici 68
4-(1-naphthyl)-butyric acid, effect on tomato resistance to Fusarium oxysporum lycopersici 68

chemicals (continued)
4-(2-naphthyl)-butyric acid, effect on tomato resistance to Fusarium oxysporum lycopersici 68
nickel compounds, on 4 Puccinia spp. 1
oil sprays, fungus control, Mycosphaerella musicola on banana 119, **120**
Oleocuivre (Cu_2O), Alternaria leaf blight control in sweet Spanish onion 228
Orchard Spray Oil 35, Mycosphaerella musicola on banana 119, **120**
Orchard Spray Oil 40, Mycosphaerella musicola on banana 119, **120**
pentachloronitrobenzene, Sclerotium rolfsii control, tests on peanut, 317, 318
2-(phenylmercuriamino)ethanol acetate, pecan scab, late dormant spray 317
phenylmercury acetate, narcissus bulb treatments, phytotoxicity 12, **14**
phenylmercury salicylate, narcissus bulb treatments, phytotoxicity 12, **14**
3-phenylsydnones, in wheat and bean rust disease 821
potassium gibberellate, interaction with a stunting bean virus 555
2-pyridinethione 1-oxide, on Phytophthora parasitica nicotianae, control of spore germination 525
quinoneoxime benzoyl hydrazone, against Rhizoctonia solani, Pythium irregulare, and Fusarium 537
seven chemicals, tests for control of Alternaria leaf blight of onion 228
Silicone Fluid 555, Mycosphaerella musicola on banana 119, **120**
sodium dimethyldithiocarbamate
control of Ceratocystic fagacearum in oak 335, **336, 337**
reaction with captan 339
sodium methyldithiocarbamate (VPM), Plasmodiophora brassicae control 227
sodium pentachlorophenoxide, pecan scab, late dormant spray 317
sodium 2,4,5-trichlorophenoxide, narcissus bulb treatments, phytotoxicity 12, **14**
streptomycin sulfate, Pseudoperonospora humuli in hops 545
2,3,5,6-tetrachlorobenzoic acid, Ceratocystis ulmi control in elm 227
thiram
Botrytis cinerea control in strawberry 228
Ceratocystic fimbriata on sweet potato, control tests 249, 252, **253**
on 11 tree-decay fungi, slowing of colony extension 545
smooth bromegrass, seed treatment 8
trans-1,2-bis(n-propyl sulfonyl) ethylene, against Rhizoctonia solani, Pythium irregulare, and Fusarium 537
N-(trichloromethylthio)-4-cyclohexene-1,2-dicarboximide, (N-trichloromethylthiophthalimide)
on 11 tree-decay fungi, slowing of colony extension 545
on greasy spot of citrus 536
2-(trichloropropyl) benzothiazole, antisporulant action on Monilinia fructicola, Stemphylium sarcinaeforme, Aspergillus niger, and Botrytis cinerea 541
tris(2-hydroxyethyl) (phenylmercuri)ammonium lactate
Ceratocystis fimbriata on sweet potato, control tests 249, 252, **252**
pecan scab, tested as late dormant spray 317
zinc dimethyldithiocarbamate
plus zinc benzothiazylmercaptide, on greasy spot of citrus 536
reaction with captan 228
zinc 2,4,5-trichlorophenoxide, Aphelenchoides besseyi control in rice, tests for 184
zineb, on greasy spot of citrus 536
ziram, reaction with captan 228
Chenopodiaceae
Peronospora in, taxonomy 499
Peronospora farinosa in, single sp. 499
Chenopodium amaranticolor, local-lesion test plant, for Wisconsin pea streak virus 548
Chenopodium hybridum, local-lesion assay host, for brome mosaic virus 126, **127**
cherry
Clasterosporium carpophilum in, shot-hole symptoms on Catalina var. 116, **117**
Cytospora rubescens on, temperature and pathogenicity 114
necrotic rusty mottle in, inactivation in budsticks by hot-water treatment 157
Paratylenchus in, relation of nitrogen and potassium to populations 543
Phytophthora syringae in, isolated from stem cankers 114
Pratylenchus penetrans in, relation of potassium to populations 543
rusty mottle virus complex in 114
sour, necrotic ring-spot, indexing 58, **58**
western X-disease virus in, sequence and tenure of 114
western X-little cherry virus in, locus, time, and mode of action 202, **203, 205**
Xiphinema americanum in, relation of nitrogen and potassium to populations 543
Chiarappa, Luigi 510, 578, 670
Chi, Chien Chen 536, 536
chicory, witloof, electrical conductance of tissue, effects of Erwinia and Pseudomonas and pectolytic enzymes 539
chlorogenic acid, amino acid addition product of, nature and fungitoxicity to Helminthosporium carbonum 594
chlorophyll, protection of pimaricin, against oxidative destruction 113
Christensen, Edgar V. 397
Christou, Theodosios (755)
chrysanthemum
Pratylenchus penetrans in, excellent host 525
Stemphylium in, disease incited 552
citrus
cachexia virus in, in California 113
greasy spot disease, copper-containing sprays for best control 536
Phytophthora parasitica in, soil factors affecting 553
potato mottle virus in, mechanical transmission 524, 729, **730**
Radopholus similis on roots, morphogenesis and histopathology of lesions 388, **389, 390, 391, 392, 394**
tristeza virus in, strains in relation to host species 823
Xanthomonas citri control, with streptomycin 224
Clark, R. S. 594
Clayton, C. N. (65)
clover
bean yellow mosaic virus in
freeing plants of 810
necrotic, mottle, and resistant reactions 537
selection for resistance to strain of 541
bean yellow mosaic, veinal necrosis, and white clover mosaic viruses in, tests 525
fungi isolated from, associative effects on each other 317
Fusarium in, effects of nutrition on 536
Fusarium oxysporum, F. roseum, and F. solani in, relation of soil factors 536
Meloidogyne hapla and M. incognita in, effects on growth 535
Phoma herbarum medicaginis in, spore inoculation 533
Pratylenchus penetrans in
effect with Tylenchorhynchus claytoni 357
good host 525
Rhodotorula glutinis rubescens, first time reported in white clover 148, **149, 150**
spring blackstem disease, see (under **clover**) Phoma herbarum medicaginis
suitability as host, to Pratylenchus brachyurus and P. zeae 417
Tylenchorhynchus martini in, effect with Pratylenchus penetrans 357
wound tumor virus in, effect of temperature 550
clubroot, see (under **fungi**) Plasmodiophora brassicae
Cochran, G. W. (554)
Cohen, Mortimer 536
Colberg, C. (119), (535), (535)

coleus, uptake of streptomycin, by leaves of 539
collar rot, see (under **fungi**) Rhizoctonia solani
Collins, R. P. 536
Condon, P. 536
Convolvulaceae, sweet potato cork virus in, susceptibility of species beyond sweet potato 545
Cook, A. A. 198, 536
Cooper, W. E. 316
Corden, Malcolm E. 68
Cormack, M. W. (303)
corn
  captan on, phytotoxicity of 526
  Fusarium graminearum in, effect of 3 isolates on seedling blight 537
  Fusarium moniliforme in, cellulase in stalks, and systemic infection 538
  Gibberella zeae in, antifungal substance in host 533
  Helminthosporium rostratum in, inciting ear rot 817
  host favoring Pratylenchus brachyurus 316
  Pratylenchus penetrans in, good host 525
  Puccinia polysora in, differential pathogenicity of tropical isolates 550
  Puccinia sorghi in
    differential pathogenicity of tropical isolates 550
    influence of temperature and light on 102
    inheritance of resistance 541
  root rot of, effect of rotations, and resistance of inbreds and F_1 hybrids 550
  seedling blight, see (under **corn**) Fusarium graminearum
  suitability as host, to Pratylenchus brachyurus and P. zeae 417
  wheat streak mosaic virus in, transmission by Aceria tulipae 396
Costa, A. S. 49
cotton
  leaf-crumple virus in, transmission by Bemisia tabaci 324
  Nematospora gossypii in, first report in U. S. 315
  suitability as host, to Pratylenchus brachyurus and P. zeae 417
  twenty-two fungi in, pathogenicity 684, **686**
  Verticillium albo-atrum in, inhibitor in seed 449, **450**
  Xanthomonas malvacearum in
    variability for pathogenicity 534
    yield losses resulting 315
Couch, H. B. (534), 537
Covey, R. P. 537
cowpea
  dahlia ringspot virus in, various isolates 546
  Fusarium oxysporum tracheifilum in, relation of Meloidogyne javanica to 601, **603**
  Meloidogyne in, resistance, inheritance of 318
  Meloidogyne javanica in, relation to Fusarium oxysporum tracheiphilum infection 601, **603**
  tobacco ringspot virus in, inheritance of resistance 332, **333**
crabapple, Phytophthora syringae, isolated from stem cankers 114
crabgrass, suitability as host, to Pratylenchus brachyurus and P. zeae 417
Cralley, E. M. (320)
Crittenden, H. W. 523, (525)
Crossan, D. F. (72), 523, 525
Crotalaria, suitability as host, to Pratylenchus brachyurus and P. zeae 417
crown gall, see (under **bacteria**) Agrobacterium tumefaciens
crown gall, of tomato, respiration of particulate tissue fractions 552
crown vetch, Pratylenchus penetrans in, good host 525
Cruciferae
  Peronospora in, taxonomy 499
  Peronospora parasitica in, single species 499
  Mycosphaerella brassicicola in, relation of environment 633, **635, 638**
cucumber
  Alternaria cucumerina in, symptoms and host-parasite relations 731
  captan on, phytotoxicity of 526
cucumber (continued)
  Cladosporium cucumerinum in, symptomatic, respiratory, and biochemical responses 535
  Colletotrichum in, new species 542
  Pythium aphanidermatum in, amino acid and sugar changes resulting 554
  stone fruit virus in, partial purification of 555
  suitability as host, to Pratylenchus brachyurus and P. zeae 417
  tobacco mosaic virus in, factors affecting susceptibility 78, **86**
  vancomycin treatment 177
cucurbits
  new Colletotrichum species in 542
  cucumber mosaic virus in, strains in California 366
  squash mosaic virus in, range in California 366
  watermelon mosaic virus in, strains in California 366
Cummins, George B. (287)
Curl, E. A. (317)
Cymbidium orchids, Pratylenchus scribneri in 458, **459**
cypress, Lawson, see Chamaecyparis lawsoniana
Daftsios, A. (313)
Dade, Caroline E. (457)
dahlia, dahlia ringspot virus in, various isolates 546
Dahlstrom, R. V. (540)
Daines, Robert H. 249, 252
Dalbulus maidis, eastern aster yellows, in asters fed on by, beneficial effects to insect 545
damping-off, see (under **fungi**) Rhizoctonia solani, Pythium irregulare, and Fusarium
Datura, dahlia ringspot in, various isolates 546
Davey, C. B. (525), 537
Davis, D. 821
Davis, R. A. 523
Davis, Robert A. 537
dead-arm disease, see (under **fungi**) Phomopsis viticola
decline, of pear, anatomy of bud-union bark in affected trees 550
Dekker, J. (112), 113
del Rosario, Maria S. (396)
deZeeuw, Donald J. 332, (535), (537)
Diachun, Stephen 537, (541)
Dickson, J. G. (8), (102), (536), (550)
Dickson, R. C. (324)
Diener, T. O. 321
Diener, Urban L. 316, 316
Dimock, A. W. 641
Dimond, A. E. (68), (538)
dollar spot, see (under **fungi**) Sclerotinia homeocarpa
Dolliver, James S. 537
downy mildew, see (under **fungi**) Peronospora destructor, P. manshurica, Pseudoperonospora, and Ps. humuli
Drolson, P. N. (542)
Dropkin, V. H. 18
DuCharme, E. P. 388
Duffus, J. E. (49)
Dunleavy, John 537, (791)
Durbin, Richard D. 59, (540), (832)
Dutch elm disease, see (under **fungi**) Ceratocystis ulmi
dwarf, of barley, caused by virus transmitted by Macrosteles fascifrons 533
dwarf bunt, see (under **fungi**) Tilletia contraversa
Earhart, R. W. 316, (320)
Echandi, E. (145)
Edgington, L. V. 538
eggplant, vancomycin treatment 177
Eid, R. F. 523, (524)
Ellingboe, Albert H. 764, 773
Elliot, A. M. 538
elm, Ceratocystis ulmi, control with polychlorobenzoic acid 227
Endo, Burton Y. 316, 417
environment
  light, effect on Rhizoctonia solani 59
  Macrophomina phaseoli, factors influencing sporulation 533

environment (continued)
photoperiod, effect on multiplication of turnip mosaic virus in rape 16
Phytophthora parasitica nicotianae, sporangial formation and zoospore activity 277
relation of, to Mycosphaerella brassicicola on crucifers 633, **635**, **638**
soil temperature, influence on Verticillium albo-atrum on pepper 23, **24**
temperature and light, influence on Puccinia sorghi in corn 102
enzymes
chitinase, fungicide of Aspergillus niger 541
pectolytic
in Pseudomonas marginalis, and their effect on lettuce 141, **142**
Rhizopus stolonifer production of 145
synthesis, loss of by Pseudomonas marginalis related to loss of virulence 227
ergot, see (under **fungi**) Claviceps purpureae
Erwin, D. C. 572, (602)
Eukel, W. (475)
Farr, Wanda K. (541)
Ferrer, Juan B. 411
fescue, suitability as host, to Pratylenchus brachyurus and P. zeae 417
Fezer, Karl D. 529
Fields, Richard W. (543)
filipin, see under **antibiotics**
Fink, H. C. (526)
Fink, Harry C. 58
Fischer, E. G. (543), (543)
flag smut, see (under **fungi**) Urocystis tritici
flax
blue dwarf virus in, transmitted from oat and barley by Macrosteles fascifrons 539
crinkle, new disease of 538
Melampsora lini in, pathogenicity mutation from radiation 260, **262**
Flor, H. H. 794
Foley, D. C. 538, 538
Forbes, I. L. (551)
Ford, R. E. 227
Ford, Richard E. 481
Forsberg, J. L. 538
Forsyth, F. R. 1
Foster, R. J. (551)
Frederiksen, R. A. 538, (539)
Freeman, T. E. 160
Friedman, B. A. (141), 227, 539
Fulkerson, J. F. 539
Fulton, N. D. 684
Fulton, R. H. 539, (542)
Fulton, Robert W. 539, (540)
fungi
Alternaria
in apple, carpel discoloration and decay 520, **521**
in cotton, pathogenicity 684, **686**
in onion, leaf blight, control with 7 chemicals 228
in sesame
cause of leaf- and stem-spotting 534
seed treatment with fungicides 461
Alternaria cucumerina
in cucumber, symptoms and host-parasite relations 731
in muskmelon, symptoms and host-parasite relations 731
in squash, symptoms and host-parasite relations 731
in watermelon, symptoms and host-parasite relations 731
Alternaria tenuis
mounting with Cellophane tape 231, **232**
sporulation, effect of visible and untraviolet radiation 543
Alternaria zinnia, sporulation, effect of visible and ultraviolet radiation 543
Aphanomyces cochlioides, in sugar beet, symptoms and susceptibility 525
fungi (continued)
Aphanomyces euteiches
growth, synthetic medium for 540
in pea, resistance, factors affecting seedling test of 406
soil debris disease potential, detection method 192, **195**
zoospore production, factors affecting 535
apple scab, see (under **fungi**) Venturia inaequalis
Armillaria mellea
growth at alternating and constant temperatures 553
in pine, artificial inoculations 615, **619**
in spruce, artificial inoculations 615, **619**
Arthrobotrys superba, isolation from soil 113
Ascochyta abelmoschi, nitrogen and plant amendments, effects in soil 537
Ascochyta imperfecta
alfalfa, detached-leaf tests, reliability 229
sporulation, effect of visible and ultraviolet radiation 543
Ascochyta pisi
GSI (new antibiotic) effective against 112
in pea, fungistatic activity of captan 680, **682**
sporulation, effect of visible and ultraviolet radiation 543
Aspergillus amstelodami
in pea, effect on germination 543
in peanut, a predominant mold 316
Aspergillus candidus, in pea, effect on germination 543
Aspergillus chevalieri, in peanut, a predominant mold 316
Aspergillus flavus
in cotton, pathogenicity 684, **686**
in pea, effect on germination 543
toxicity of acetic acid to 551
Aspergillus glaucus, in peanut, a predominant mold 316
Aspergillus niger
conidial germination suppressed by chitinase from Lycoperdon gemmatum 541
in apple, carpel discoloration and decay 520, **521**
in cotton, pathogenicity 684, **686**
2-(trichloropropyl) benzothiazole on, antisporulant action of 541
Aspergillus repens, in peanut, a predominant mold 316
Aspergillus restrictus
in pea, effect on germination 543
in peanut, a predominant mold 316
Aspergillus ruber
in pea, effect on germination 543
in peanut, a predominant mold 316
Aspergillus tamarii, in peanut, a predominant mold 316
Botryosphaeria ribis
in apple, etiology on wood and fruit 523
in tupelo, canker disease caused by 547
Botrytis, in apple, carpel discoloration and decay 520, **521**
Botrytis cinerea
irradiation, control on grape and strawberry 475, **476-479**
2-(trichloropropyl) benzothiazole on, antisporulant action 541
in strawberry
control with 3 chemical sprays 228
control with irradiation 475, **476-479**
methods of determining susceptibility 542
in tomato, cause of ghost spot 411, **413**, **415**
sporulation, effect of visible and untraviolet radiation 543
bunt, see (under **fungi**) Tilletia
Cephalosporium, in grape, related to black measles 510, **511-513**, **516-518**
Cephalosporium gramineum, substrate utilization and enzyme and polysaccharide production 551
Ceratocystis coerulescens
in sugar maple, inoculations 549
in yellow-poplar, inoculations 549
Ceratocystis fagacearum
in white oak, sodium dimethyldithiocarbamate in control 335, **336**, **337**
in white oak, xylem formation as factor in resistance 335, **336**, **337**
Ceratocystis fimbriata, in sweet potato, influence of bedding stock, plant bed temperature, and 6 fungicides 249, 252, **253**

fungi (continued)
Ceratocystis ulmi, control in elm with polychlorobenzoic acid 227
Ceratostomella fimbriata, in carrot, mechanism for resistance 536
Cercospora
low-volume oil sprays on, failure of 535
in soybean, purple stain of seeds from 430, **431**
Cercospora apii, in celery, seedling test for determining resistance 546
Cercospora fusimaculans, St. Augustine grass reported affected by 160, **161**
Cercospora musae, see (under **fungi**) Mycosphaerella musicola
Cercospora vanderysti, bean newly reported infected by 133, **134**
Chalaropsis thielavioides, ester production by 536
Cincinnobolus cesatii, parasitism of Microsphaera alni on London plane trees 831
Cladosporium, in cotton, pathogenicity 684, **686**
Cladosporium cucumerinum
in cucumber, symptomatic, respiratory, and biochemical responses 535
toxicity of acetic acid to 551
Cladosporium herbarum, in peanut, a frequent mold 316
Clasterosporium carpophilum, in cherry, shot-hole symptoms on Catalina var. 116, **117**
Claviceps purpurea
inhibition of starch formation by host 451
in barley, compared with Ustilago nuda 348
Cochliobolus carbonum, perfect stage of Helminthosporium carbonum 807
Cochliobolus heterostrophus
genetics of
mutant gene preventing perithecial formation 384
sexual reproduction 319
Colletotrichum
effect of other fungi on 317
new species on cucurbits 542
Colletotrichum capsici, amino acid and sugar content, effect of copper and glyodin 525
Colletotrichum circinans, toxicity of Streptomyces to in soils 327
Colletotrichum gloeosporioides, in dwarf mistletoe, cause of undescribed disease 812
Colletotrichum gossypii, in cotton, pathogenicity 684, **686**
Colletotrichum phomoides, overhead irrigation, effect on 72, **73**
Coryneum microstictum, in blueberry, cause of previously undescribed canker 556
Cronartium ribicola, sporidia, capacity and period of maximum production 54, **55**
Cronartium strobilinum, in slash pine, ferbam for control 318
Curvularia, in cotton, pathogenicity 684, **686**
Cytospora rubescens, relation of temperature to pathogenicity, in apple, apricot, cherry, peach, plum, and prune 114
Dactylaria, isolation from soil 113
Diaporthe phaseolorum, var. caulivora hybridized with var. sojae 797
Dibotryon morbosum
in Prunus spp., possible causes of stem hypertrophy 539
in plum, good to fair control with zineb, Niacide-M, mercury, sulphur, ferbam, captan, and dichlone 524
Diplodia natalensis, in orange, irradiation for control 534
Dothichiza caroliniana
in blueberry 65, **66**
separation from Gloeosporium minus 65, **66**
eleven tree-decay species, effect of captan, dichlone, ferbam, Phaltan (N-trichloromethylthiophthalimide), and thiram 545
Entomosporium, in Photinia glabra and P. serrulata, indistinguishable from that in pear, quince, and loquat 361, **362**
fungi (continued)
Erysiphe cichoracearum
culture on lettuce epidermis and mesophyll 115, **115**
in lettuce
resistance related to osmotic value 562, **566, 567, 568**
spread and life cycle 464, **465, 466**
Erysiphe graminis hordei
in barley
genes conditioning resistance to various races 207
host-pathogen gene interactions 469
filipin inhibition, on 55–60 fungi 539
Fomes igniarius
in grape
enzymes of associated with heart rot 578
related to black measles 510, **511-513, 516-518**
Fusarium
associated with black root rot of pine seedlings 318
effect of other fungi on 317
in apple, carpel discoloration and decay 520, **521**
in tomato, respiratory responses 549
in beets, interactions with Pythium irregulare and Rhizoctonia solani 537
in red clover, effects of nutrition 536
with Pythium irregulare and Rhizoctonia solani, chemical tests on 537
Fusarium graminearum, in corn, effect of 3 isolates on seedling blight 537
Fusarium moniliforme
in corn
cellulase in stalks 538
systemic infection 538
in cotton, pathogenicity 684, **686**
Fusarium oxysporum
in cotton, pathogenicity 684, **686**
in red clover, relation of soil factors 536
Fusarium oxysporum asparagi, asparagus decline and replant problem 122, **123**
Fusarium oxysporum cubense
banana, fusaric acid association 230
banana infected with, water economy of 61
Fusarium oxysporum dianthi
in carnation
culture indexing and control 547
wilt incidence effect of 6 Meloidogyne species 550
Fusarium oxysporum lycopersici, in tomato, resistance as affected by growth regulators 68
Fusarium oxysporum narcissi, basal rot in narcissus, phytotoxicity of bulb treatments 12, **14**
Fusarium oxysporum pisi
in pea, varieties resistant 540
toxicity of Streptomyces to in soils 327
Fusarium oxysporum tracheifilum, in cowpea, relationship of Meloidogyne javanica to 601, **603**
Fusarium oxysporum vasinfectum, in cotton, pathogenicity 684, **686**
Fusarium roseum
in birdsfoot trefoil
demonstrated as cause of stem and leaf blight on 227
cause of blight 481, **482, 483**
in red clover, relation of soil factors 536
in soybean, Phytophthora root and stem rot 380, **382**
isolating soil actinomycetes antagonistic to 270, **271**
Fusarium solani, in red clover, relation of soil factors 536
Fusarium solani cucurbitae, GS1 (new antibiotic) effective against 112
Fusarium solani phaseoli
free amino acids in cultural media and cells 734
in bean
effects of crop rotation 583
effect of plant residues 755, **756**
influence of nitrogen and glucose nutrition 552
multiple clonal types in field soil 310, **311**
Fusarium solani pisi, toxicity of Streptomyces to in soils 327
Geotrichum, effect of other fungi on 317

fungi (continued)
Gibberella zeae, in corn, antifungal substance in host 533
Glomerella cingulata, toxicity of Streptomyces to in soils 327
Helminthosporium
action in oats 318
in cotton, pathogenicity 684, **686**
in oats
N-(ethylmercuri)-p-toluenesulfonanilide for control 318
fungus action 318
interspecific crosses, for study of evolution of sexuality and pathogenicity 547
species causing oat chlorosis, inoculation methods and growth rates 320
Helminthosporium bromi, smooth bromegrass, seed treatment with 3 fungicides 8
Helminthosporium carbonum
amino acid addition product of chlorogenic acid, nature and fungitoxicity of 594
Cochliobolus carbonum, the perfect stage 807
Helminthosporium maydis
interspecific cross
with H. oryzae, for study of evolution of sexuality and pathogenicity 547
with H. sorghicola, for study of evolution of sexuality and pathogenicity 547
Helminthosporium oryzae
interspecific cross with Helminthosporium maydis, for study of evolution of sexuality and pathogenicity 547
in rice
induced mutation 536
relation of nitrogen to 536
Helminthosporium rostratum
in corn, inciting ear rot 817
in grass (13 hosts), inciting leafspot 817
Helminthosporium sesami, in sesame, cause of blight 815
Helminthosporium sorghicola, interspecific cross with H. maydis, for study of evolution of sexuality and pathogenicity 547
Helminthosporium turcicum, major gene locus for compatibility in ascigerous stage 159
Helminthosporium victoriae
biological control, an approach 544
in oats
metabolism of susceptible varieties 587
physiological basis for resistance 32
respiratory changes 540
stunting of normal colonies by a transmissible agent 29, **30**
in soil, effect of crop sequences on 554
in wilted oak, 1,446 isolates comprising 65 genera 555
Isariopsis griseola, in bean, seed transmission, evidence 159
Leptographium, in western white pine, effect of inoculations 350, **352**
low-temperature basidiomycete, measuring pathogenesis by toxic substance produced 303, **304**
Lycoperdon gemmatum, chitinase from, suppression of conidial germination of Aspergillus niger 541
lysis by soil 544
Macrophomina phaseoli
factors influencing sporulation 533
in Persian melon, relation of total sugars to susceptibility 533
Melampsora lini
differential host range of the monocaryon and dicaryons 794
mutation for pathogenicity, relation to radiation dose 260, **262**
in flax, pathogenicity mutations from radiation 260, **262**
Microsphaera alni, in London plane trees, parasitism by Cincinnobolus cesatii 831
Monilinia fructicola
captan toxicity reversed by l-histidine 321
2-(trichloropropyl) benzothiazole in, antisporulant action of 541
fungi, monilinia fructicola (continued)
in peach
gamma radiation for control 354
hydrocooling and storage temperature 472
spore germination, temperature effects on 546
mounting and photographing, Cellophane tape used in 231, **232**
Mucor, effect of other fungi on 317
Mycosphaerella brassicicola
in cabbage, relation of environment 633, **635, 638**
in crucifers, relation of environment 633, **635, 638**
Mycosphaerella musicola, in banana, oil-spray control, action of 119, **120**
N541 on, for control of spore germination of Phytophthora parasitica nicotianae 525
Nematospora gossypii, in cotton, first report of in U. S. 315
Penicillium, in cotton, pathogenicity 684, **686**
Penicillium citrinum, in peanut, a predominant mold 316
Penicillium digitatum, in citrus fruits, gamma radiation to control decay 91, **95**
Penicillium funiculosum, in peanut, a frequent mold 316
Penicillium italicum, in citrus fruits, gamma radiation to control decay 91, **95**
Penicillium janthinellum, in peanut, a frequent mold 316
Peronospora
in Chenopodiaceae, taxonomy 499
in Cruciferae, taxonomy 499
synonomy 499
Peronospora destructor, in onion, resistance to 486, **489, 491, 494**
Peronospora farinosa
in Chenopodiaceae, single species in 499
synonomy 499
Peronospora manshurica
in soybean, survey of physiologic races 537
physiologic specialization in 791
Peronospora parasitica
in Cruciferae, single species in 499
synonomy 499
Phoma, sporulation, effect of visible and ultraviolet radiation 543
Phoma herbarum medicaginis
growth in culture 773
in alfalfa
local dissemination 548
spore inoculation 533
testing clones for resistance 690
in red clover, spore inoculation 533
valid name for Phoma trifolii 764
Phoma trifolii
sporulation, effect of visible and ultraviolet radiation 543
synonomy suggested, Phoma herbarum medicaginis valid name 764
Phomopsis citri, in oranges, irradiation for control 534
Phomopsis viticola, in grape, development 738, **739, 740**
Physalospora tucamenensis, in sugarcane, role in red rot of seed pieces 551
Phytophthora
in grape, 6 species in root rot in California 670, **672, 673**
in sugarcane
in combination with Pratylenchus zeae 543
infection and spread in seed pieces 553
isolate causing seed piece rot, description 320
soybean root and stem rot fungus
development and morphology of reproductive structures 376, **378**
etiology of the disease 380, **382**
sporangia production, effect of media concentration on 6 species 550
staining with zinc-chlor-iodide, relation of culture substrate 455
Phytophthora cactorum
in pear, cause of collar rot 795
sporangia production, effect of media concentration 550
Phytophthora cinnamomi, sporangial production, factors affecting 556

fungi (continued)
Phytophthora cryptogea, sporangia production, effect of media concentration 550
Phytophthora erythroseptica, sporangia production, effect of media concentration 550
Phytophthora infestans
in potato, physiologic specialization in Israel 675, **677**
in tomato, physiologic specializaton in Israel 675, **677**
six races, growth in artificial media 450
Phytophthora lateralis, on Chamaecyparis lawsoniana, pathology 306, **307**
Phytophthora megasperma, sporangia production, effect of media concentration 550
Phytophthora palmivora, varietal difference between isolates from cacao and rubber 210, **211**
Phytophthora parasitica
in citrus, soil factors affecting 553
sporangia production, effect of media concentration 550
Phytophthora parasitica nicotianae
in tobacco
effect of inoculum level on severity 274, **275**
resistance, dominant and modifying genes 318
spore germination inhibited by Omadine and N521 525
sexuality 37, **38, 39**
sporangial formation and zoospore activity, factors influencing 277
movement in soil, inhibition by sphagnum moss 542
Phytophthora sojae, sporangia production, effect of media concentration 550
Phytophthora syringae
in apricot, isolated from stem cankers 114
in cherry, isolated from stem cankers 114
in crabapple, isolated from stem cankers 114
in peach, isolated from stem cankers 114
Plasmodiophora brassicae, soil treatment with sodium methyldithiocarbamate 227
Pseudoperonospora cubensis, GS1 (new antibiotic) effective against 112
Pseudoperonospora humuli
in hops
resistance to, screening for 113
effects of streptomycin sulfate 545
Pseudoplea briosiana, ascospore ejection, effects of temperature 538
Puccinia carthami, in safflower, inheritance of pathogenicity 544
Puccinia coronata, spontaneous change for virulence 556
Puccinia coronata avenae
influence of nickel compounds 1
in oats
inheritance of resistance in diploid and tetraploid species 257
reaction among strains of noncultivated species 598
Puccinia graminis agrostis, on Merion bluegrass, incitant of stem rust 287
Puccinia graminis secalis, mixture with P. graminis tritici, new races from 428
Puccinia graminis tritici
haustoria of, behavior 535
influence of nickel compounds 1
mixture with P. graminis secalis, new races from 428
necrosis from, relation of temperature 827
new races, production of by vegetative fusion 386
in wheat
behavior of haustoria 535
effect of extracts from quackgrass 548
infectibility and tolerance 535
necrosis related to temperature 827
reaction of 4 varieties or selections to race 15B 254
relation of inoculum density to infection 607, **608-610, 613**
uptake of vital dyes by mycelium 531
Puccinia helianthi, influence of nickel compounds 1
Puccinia polysora, tropical isolates, differential pathogenicity in corn 550
fungi (continued)
Puccinia recondita, single-spore inoculation and increase 455, **455**
Puccinia rubigo-vera tritici, influence of nickel compounds 1
Puccinia sorghi
in corn
inheritance of resistance 541
inbred, influence of temperature and light on 102
tropical isolates, differential pathogenicity in corn 550
Pyrenophora bromi, on Bromus inermis, artificial inoculation with ascospores 542
Pythium
in grape, in root rot in California 670, **672, 673**
species still living in muck air-dried 6 years 830
Pythium aphanidermatum, in cucumber, amino acid and sugar changes resulting 554
Pythium butleri
inhibition, by extract from sphagnum moss 542
movement in soil, inhibition by sphagnum moss 542
Pythium irregulare
in beets, interactions with Rhizoctonia solani and Fusarium 537
chemical tests with Rhizoctonia solani and Fusarium 537
Pythium ultimum
control with chloropicrin 113
in cotton, pathogenicity 684, **686**
in poinsettia
effect of temperature 641, **643, 644**
influence of soil moisture 533
inhibition, by extract from sphagnum moss 542
isolating soil actinomycetes antagonistic to 270, **271**
movement in soil, inhibition by sphagnum moss 542
Rhizoctonia solani
control with chloropicrin 113
growth and morphology, effect of light 59
in bean, effect of plant residues 755, **756**
in beets, interactions with Pythium irregulare and Fusarium 537
in cotton, pathogenicity 684, **686**
in poinsettia
effect of temperature 641, **643, 644**
influence of soil moisture 533
in snap beans, green organic soil amendments for control 525
in soil
effect of mature plant materials 537
effect of nitrogen 537
movement inhibited by sphagnum moss 542
in soybean
effect on Phytophthora root and stem rot 380, **382**
infection of roots 555
interrelationship with Meliodogyne javanica and M. hapla on emergence 552
in tea, cause of collar rot 527, **527**
isolating soil actinomycetes antagonistic to 270, **271**
soil debris
disease potential, detection method 192, **195**
isolation from 192, **195**
three general groups, based on methods of attacking soybeans 555
toxicity of streptomyces to in soils 327
toxicity to, of N-methyl dithiocarbamate and methyl isothiocyanate 557
with Pythium irregulare and Fusarium, chemical tests on 537
Rhizopus, in sweet potato, effect of chilling, recuring, and hydrowarming after storage 359
Rhizopus nigricans, in peach, gamma radiation for control 354
Rhizopus stolonifer
enzymes, pectolytic, produced by 145
in peach, hydrocooling and storage temperature 472
in sweet potato, mechanisms of infection 400
spore germination, temperature effects on 546

fungi (continued)
Rhodotorula glutinis rubescens
in clover, Ladino white, first report of affecting 148, **149, 150**
Melilotus alba susceptible to 148, **149, 150**
Phaseolus vulgaris susceptible to 148, **149, 150**
Pisum sativum susceptible to 148, **149, 150**
Trifolium, 13 species susceptible to 148, **149, 150**
Rhynchosporium secalis
in barley
resistance in world collection 549
seed and seedling infection 623
in bromegrass, factors affecting development 397
Saccharomyces pastorianus
cobalt pretreatment to increase captan toxicity 228
n-dodecylguanidine acetate on, mechanism of action 534
in pea, fungistatic activity of captan 680, **682**
Sclerotinia fructicola, in plum, control by captan, dichlone, and mercury 524
Sclerotinia homeocarpa, in bentgrass and bluegrass, influence of nutrition, pH, and soil moisture 537
Sclerotium bataticola
associated with black root rot of pine seedlings 318
in cotton, pathogenicity 684, **686**
Sclerotium rolfsii
effect of other fungi on 317
in cotton, pathogenicity 684, **686**
in peanut
control by not throwing soil on plants 317
dinoseb and PCNB control tests 317
Terraclor as a control 318
sclerotia germination
as affected by drying, scarifying, or soaking 316
as affected by humidity 316
snow mold
in alfalfa, toxic substance produced 303, **304**
pathogenesis related to toxic substance produced 303, **304**
spore sampler, continuous quantitative slit type 757, **758**
Stemphylium
chrysanthemum, disease incited 552
isolate resembling S. floridanum, from diseased chrysanthemum 552
Stemphylium botryosum
sporulation, effect of visible and ultraviolet radiation 543
mounting with Cellophane tape 231, **232**
Stemphylium sarcinaeforme, 2-(trichloropropyl) benzothiazole on, antisporulant action of 541
Stemphylium trifolii, sporulation, effect of visible and ultraviolet radiation 543
Stereum hirsutum, in grape, enzymes of associated with heart rot 578
Streptomyces, cause of natural fungitoxicity in soils 327
Streptomyces ipomoea, in sweet potato, chloropicrin control 544
Streptomyces scabies
isolation from potato tubers or soil 457
in potato, soil factor suppressing 648, **651**
Thielaviopsis basicola
in bean, effect of plant residues 755, **756**
in cotton, pathogenicity 684, **686**
in poinsettia
effect of temperature 641, **643, 644**
influence of soil moisture 533
Tilletia asperifolia, spore germination, factors affecting 724
Tilletia asperifolioides, spore germination, factors affecting 724
Tilletia bromi-tectorum, spore germination, factors affecting 724
Tilletia caries
cultures, mineral oil seal method for maintaining 454
in wheat
effect of soil temperature and moisture 433
seedling indication of infection 130, **131**
spore germination, factors affecting 724
Tilletia cerebrina, spore germination, factors affecting 724
fungi (continued)
Tilletia contraversa
spore germination, factors affecting 724
wheat, methods of infecting 4
Tilletia elymi, spore germination, factors affecting 724
Tilletia foetida, wheat, seedling indication of infection 130, **131**
Tilletia fusca, spore germination, factors affecting 724
Tilletia guyotiana, spore germination, factors affecting 724
Tilletia holci, spore germination, factors affecting 724
Tilletia pallida, spore germination, factors affecting 724
Tilletia scrobiculata, spore germination, factors affecting 724
Torula sacchari, in peanut, a frequent mold 316
Trichoderma
effect of other fungi on 317
in cotton, pathogenicity 684, **686**
Trichometasphaeria turcica, see (under **fungi**) Helminthosporium turcicum
Urocystis tritici, in wheat, physiologic races 299
Uromyces phaseoli, GS1 (new antibiotic) effective against 112
Uromyces trifolii, in pea, susceptibility 118
Ustilago avenae, in oat, relationship of loose smut to yield 555
Ustilago nuda
in barley
compared with Claviceps purpureae 348
seedling inoculation with chlamydospores 542
temperature effect on development 543
in wheat
seedling inoculation with chlamydospores 542
temperature effect on development 543
Ustilago tritici
in barley
seedling inoculation with chlamydospores 542
temperature effect on development 543
in wheat
new embryo test for predicting loose smut 75, **76**
seedling inoculation with chlamydospores 542
temperature effect on development 543
Venturia inaequalis, in apple, susceptibility as affected by amino acids 313
Verticillium
microsclerotia produced in soil, selective medium for 527, **528**
in potato
influence of crop residues and fertilizer 114
control with chloropicrin 113
in strawberry, control with chloropicrin 113
Verticillium albo-atrum
existence of pathogenically different races 23, **24**
fungichromin effect on amino acids of 422
in cotton
inhibitor in seed 449, **450**
pathogenicity 684, **686**
in maple, relation of sapwood moisture to incidence **496, 497**
in pepper, influence of fungus strain and soil temperature 23, **24**
isolating soil actinomycetes antagonistic to 270, **271**
source of inoculum, effect on pepper 23, **24**
toxicity of streptomyces to in soils 327
fungichromin, see under **antibiotics**
fungitoxicity, natural in soils, caused by Streptomyces 327
fusaric acid, isolated from banana rhizomes and Fusarium oxysporum cubense 230
Fusarium blight, of birdsfoot trefoil, caused by Fusarium roseum 481, **482, 483**
Futrell, M. C. (254), (541)
gallic acid, protection of pimaricin against oxidation 113
gamma radiation, control of Penicillium digitatum and P. italicum on citrus fruits 91, **95**
Garber, M. J. (602)
Garber, R. H. 449
Garces-Orejuela, Carlos (16)

Garren, K. H. 317
genetics
barley genes, conditioning resistance to races of Erysiphe graminis hordei 207
Cochliobolus heterostrophus, sexual reproduction in 319
host-pathogen gene interactions, Erysiphe graminis hordei in barley 469
sexual reproduction, Cochliobolus heterostrophus 319
tobacco resistance to black shank, dominant and modifying genes 318
Gerdemann, J. W. (455)
Gerwitz, David L. 832
ghost spot, of tomato, Botrytis cinerea the cause of 411, **413, 415**
gibberellin, potassium gibberellate on potato seed pieces, effect on yield 319
Gill, Lake S. (350)
gladiolus, Pseudomonas marginalis in, relation of Rhizoglyphus echinopus to 538
gloxinia, dahlia ringspot in, various isolates 546
Goheen, A. C. (541)
Gold, A. H. (525)
Gomphrena, dahlia ringspot in, various isolates 546
Good, J. M. 317
Gooding, G. V. 274, 277
Goodman, Robert N. 539
Goplen, Bernard P. 653
Goth, R. W. 188, (538), (554)
Gottlieb, David (177), 539
Grabe, Don F. 791
Grainger, John 627
Gramineae, Striga asiatica in, resistance 319
Grant, Theodore J. 823
grape
asteroid mosaic in, symptoms and transmission 541
black measles of, relation to wood decay 510, **511-513, 516-518**
Botrytis cinerea in, irradiation for control 475, **476-479**
dead-arm disease, see (under **grape**) Phomopsis viticola
heart rot, see (under **grape**) Stereum hirsutum and Fomes igniarius
ionizing radiation, control of Botrytis cinerea 475, **476-479**
Meloidogyne incognita acrita in, survival in soil fumigated with 2,4-dinitrophenyl thiocyanate 543
Phomopsis viticola in, development 738, **739-740**
root rot, complex in California 670, **672, 673**
Stereum hirsutum and Fomes igniarius in, extracellular oxidative enzymes of, associated with heart rot of vine 578
grass
brome, factors affecting Rhynchosporium secalis development in 397
Helminthosporium rostratum in 13 hosts, inciting leaf spot 817
smooth bromegrass, germination and seedling growth, effect of strain and seed treatment 8
Graves, Clinton H., Jr. 317
gray mold, see (under **fungi**) Botrytis cinerea
greasy spot disease, of citrus, copper-containing sprays for best control 536
Greene, George L. 539
Greenleaf, W. H. 317
grey mold fruit rot, see (under **fungi**) Botrytis cinerea
Grimm, Robert 540
Grogan, R. G. 122, 366
GS1, see under **antibiotics**
Guthrie, James W. 113, 113, 453
Hagedorn, D. J. 540, (548), (656)
Hagihara, Bunji (552)
Haglund, W. A. (118), 540
hairy root, see (under **bacteria**) Agrobacterium rhizogenes
Hall, D. H. (366)
Hamblen, M. L. 317, (319)
Hampton, Raymond E. 540
Hansbrough, T. 540
Hansen, J. D. 317
Hanson, E. W. (536), (536)
Hare, W. W. 318, 318, (543)
Harrison, A. L. 318
Harrison, Martin B. 540
Hart, Helen (535), (535)
Hartwell, W. V. 540
Hasbrouck, Edward 523
heart rot, see (under **fungi**) Stereum hirsutum and Fomes igniarius
heat inactivation, hot water, necrotic rusty mottle virus in cherry budsticks 157
Henson, Lawrence (537), 541
Henze, R. E. (594)
Hepting, George H. (549)
Herr, Leonard J. 270
Heuberger, J. W. (523), 524
Hewitt, Wm. B. 541
Hickey, K. D. (524)
Hilborn, M. T. 541
Hildebrand, E. M. 524, 524
Hildebrandt, A. C. (552), (555)
Himelick, E. B. 831
Hirai, Tokuzo (447)
Hirschmann, Hedwig (552)
Hobbs, C. D. 541
Hodges, Charles S. 318
Hoffman, I. (680)
hoja blanca, disease of rice 533
Hollis, J. P. (540), 541
Holmes, Francis O. 524, 729
Holmes, F. W. 227
Homma, S. (546)
Hood, J. R. (812)
Hooker, A. L. 541
Hoppe, Paul E. 830
hops
downy mildew, see (under **hops**) Pseudoperonospora humuli
Pseudoperonospora humuli in,
screening for resistance to 113
effects of streptomycin sulfate 545
Horner, C. E. 113
Horsfall, J. G. (544)
Horsfall, James G. 541
Horton, James C. 542
Houston, Byron R. (449)
Huguelet, J. E. (553)
Husain, S. M. 228
Hutchinson, M. T. (525)
hydroquinone, protection of pimaricin against oxidation 113
internal bark necrosis, see under **apple**
irradiation
Botrytis cinerea control, on grape and strawberry 475, **476-479**
gamma
control of Penicillium digitatum and P. italicum on citrus fruits 91, **95**
effect on brown and Rhizopus peach rots 354
grapes, Botrytis cinerea control 475, **476-479**
Diplodia natalensis, on oranges 534
Melampsora lini, mutations for pathogenicity 260, **262**
Phomopsis citri, on oranges 534
strawberries, Botrytis cinerea control 475, **476-479**
tobacco ringspot virus, in watermelon 319
irrigation, overhead, effect on Colletotrichum phomoides 72, **73**
Irvine, T. B. 542
insects, aphid, barley yellow dwarf virus, transmission tests 229
Ivanoff, S. S. 318
Jackson, Curtis R. 731
Jaffe, M. J. (539)
Jenkins, S. F., Jr. 542
Johnson, A. G. 299
Johnson, T. 323
Jones, John P. 430, 452
Jones, Leo E. 202
Kaesberg, Paul (713)

Kahn, Robert P. 542, 542
Kaufmann, M. J. 542
Kavanagh, T. 542, 543
Kedar (Kammermann), N. 675
Kelman, A. (545)
Kendrick, E. L. 130, 433, 454
Kendrick, J. B., Jr. 23, (557), 701
Kennedy, B. W. (572)
Khan, Sekender Ali 543
Kilpatrick R. A. 148
Kim, W. S. 656
Kimble, K. A. (122), (366)
King, T. H. (540), 543
Kirkpatrick, Hugh C. (78), (507), (802)
Kirkpatrick, J. D. 543, 543
Kivilaan, A. 282
Klein, H. Harvey 376, 380
Klement, Z. 107
Klug, R. J. (797)
Knutson, R. (546)
Kommedahl, Thor (548), (797)
Krupka, L. R. 587
Kuc, J. 313, (536), (594)
Laird, E. F., Jr. 324
Lakshmanan, A. R. (224)
Lal, Sardar B. 214
lambsquarter, suitability as host, to Pratylenchus brachyurus and P. zeae 417
Lamey, H. Arthur (533)
Larson, R. H. (435), (443), (784)
Leach, Charles M. 543
leafspot, see (under **fungi**) Cercospora fusimaculans
leafspotting fungi, on southern highbush swamp blueberry 65, **66**
Leaphart, Charles D. 350
Lear, B. 543
LeBeau, J. B. 303
legumes
  viruses in, in California 525
  viruses in Minnesota, comparison studies 554
Leguminosae, Striga asiatica in, induction of seed germination 319
Lehman, W. F. (572)
Lembright, Harold W. 113
lemon, Penicillium in fruits of, gamma radiation to control decay 91, **95**
lespedeza, suitability as host, to Pratylenchus brachyurus and P. zeae 417
lettuce
  Erysiphe cichoracearum in
    culture on lettuce epidermis and mesophyll 115, **115**
    resistance related to osmotic value 562, **566, 567, 568**
    spread and life cycle 464, **465, 466**
  powdery mildew, see (under **lettuce**) Erysiphe cichoracearum
  Pseudomonas marginalis, enzymes, pectolytic, of, and their effect on host 141, **142**
  suitability as host, to Pratylenchus brachyurus and P. zeae 417
  Pratylenchus penetrans in, excellent host 525
Lewis, F. H. 524
light, influence on Puccinia sorghi, in corn 102
Lightle, Paul C. 318
lima bean, vancomycin treatment 177
Lindberg, G. D. 29, 544
Lindner, R. C. 78, 507, 802
Lockwood, John L. 327, 406, (535), 544
loose smut, see (under **fungi**) Ustilago avenae, U. tritici, and U. nuda
Lorbeer, James W. 544
Lovas, B. (107)
Lucas, G. B. (274), (277), (318), 544
Lukens, R. J. 228, 228, 544
Lukens, Raymond J. 339
Lychnis divaricata, Lychnis ringspot virus in, discovery and characteristics 706, **707, 708**
Lyles, W. E. 254
McAnelly, Charles W. 734
McCain, Arthur H. 544
McCallan, S. E. A. 544
McClung, Norvel M. 771
McClure, T. T. 359, 472
McCombs, C. L. (554)
McGlohon, N. E. (810)
McIntosh, D. L. 795
McLaughlin, Foil W. (319)
McNabb, Harold S. (553)
Macrosiphum granarium
  as vector
    of barley yellow dwarf 343
    of strains of barley yellow dwarf 744
Macrosteles fascifrons
  transmission of
    blue dwarf of oats and dwarf of barley 533
    blue dwarf virus from oat and barley to flax 539
    flax crinkle virus 538
Mai, W. F. (543), (543)
Maier, C. R. 545
Maine, E. C. 545
Maloy, Otis C. 583
Mann, Margery P. (231)
maple, Verticillium albo-atrum in, relation of sapwood moisture to incidence 496, **497**
maple, sugar, Ceratocystis coerulescens in, inoculations 549
Maramorosch, Karl 228, 545
Marshall, Lee Ann (556)
Martin W. J. 545
Maung, Ohn, 524
Maxie, E. C. (475)
May, Curtis 545
meetings
  American Phytopathological Society 162
  Northeastern Division 227
  Pacific Division 112
  Potomac Division 523
  Southern Division 315
Mehta, P. P. 177
Meiners, J. P. 724
Meiners, Jack P. 4
Melon, bean yellow mosaic, veinal necrosis, and white clover mosaic viruses in, tests on 525
melon, Persian, Macrophomina phaseoli in, relation of sugars to susceptibility 533
Menzies, J. D. 457, 648
Merion bluegrass, Puccinia graminis in, stem rust 287
Middleton, John T. (23)
Milbrath, J. A. (114), 545, 546
Mildner, R. A. 546
Milholland, R. D. 455
Miller, L. P. (544)
Miller, P. M. 228, 520
Miller, W. H. 546
millet, suitability as host, to Pratylenchus brachyurus and P. zeae 417
milo, suitability as host, to Pratylenchus brachyurus and P. zeae 417
mistletoe, dwarf, Colletotrichum gloeosporioides in, cause of undescribed disease 812
Mitchell, J. E. 546
Mix, Arthur J., 1888-1956, biographical sketch 771, **771**
Moffatt, J. E. (303)
Moore, E. L. 318
Moore, J. D. (546)
Moore, M. B. (533)
Moorhead, Ellen L. 151
Morgan, Max E. (536)
Morgan, O. D. 525
Morton, D. (49)
Moseman, J. G. 207, 469
Mountain, W. B. (549)
Murakishi, H. H. 546, 546
Murphy, H. C. (257)

muskmelon, Alternaria cucumerina in, symptoms and host-parasite relations 731
Nagaraj, A. N. 546
narcissus, basal rot, bulb treatments, phytotoxicity 12, **14**
Nash, Shirley M. (310), (552)
Natti, John J. 228
Neal, A. L. (540), 547
needle blight, of pine, root characteristics 534
Neely, Dan 547, (831)
Nelson, Gordon A. 547, 547
Nelson, K. E. 475
Nelson, Merritt R. 633
Nelson, Paul E. 547
Nelson, R. R. 159, 319, 319, 384, 547, 807
nematodes
Aphelenchoides besseyi
rice, control by seed treatment 184
rice, yield tests and varietal resistance 189
Belonolaimus gracilis, peanuts, effect of 1,2-dibromo-3-chloropropane 316
Criconemoides xenoplax, on carnation, cause of ring nematode decline 761, **762**
Ditylenchus dipsaci
biology of on 36 plant species and varieties 315
determining soil populations 549
host range and control 664, **668**
Heterodera
D-D effects, retention in soil 540
EDB W-85 effects, retention in soil 540
hatching, natural stimulant 540
Heterodera glycines
cyst development and larva emergence, factors affecting 317, 319
narcissus bulb treatments, phytotoxicity 12, **14**
on soybean
interaction with Meloidogyne incognita incognita 549
resistance, effect on yield and nematode populations 319
Heterodera rostochiensis
emergence from cysts, influence of vitamin B_6 on 547
on potato, control by intimate mixing of mercuric oxide with soil 627, **628, 630**
in toto stains, gold chloride and picric-acid-iodine 523
Meloidogyne
bioassay to separate races 18, 20, 21
biological races, in 3 species attacking alfalfa 653
with Fusarium oxysporum dianthi on carnation, wilt incidence effect of 6 species 550
Meloidogyne arenaria
on carnation, effect of Fusarium oxysporum dianthi infection 550
on cowpea, resistance to 318
Meloidogyne arenaria arenaria, on tomato, resistance and occurrence of pathogenic biotypes 716, **718, 720**
Meloidogyne arenaria thamesi, on carnation, effect on Fusarium oxysporum dianthi infection 550
Meloidogyne hapla
on alfalfa, effects on growth 535
on carnation, effect on Fusarium oxysporum dianthi infection 550
on Kenland red clover, effects on growth 535
on rose, cytological and histological effects 523
on soybean
host-parasite relations 525
interrelationship with Meloidogyne javanica and Rhizoctonia solani on emergence 552
on tomato, influence of soil moisture 534
two biotypes in 653
Meloidogyne incognita
development and sex determination 552
morphological and physiological variation 553
on alfalfa, effects on growth 535
on carnation, effect on Fusarium oxysporum dianthi infection 550
nematodes, meloidogyne incognita (continued)
on cowpea, resistance to 318
on Kenland red clover, effects on growth 535
on potato, seed-piece and soil infestation, effect on yield 319
on tobacco, effect of postharvest cultural practices 547
Meloidogyne incognita acrita
morphological and physiological variation 553
on carnation, Fusarium oxysporum dianthi infection resulting 550
on cowpea, resistance to 318
on grape, survival in excised roots in soil fumigated with ethylene dibromide 543
on soybean, root production 523
on tobacco, effect of postharvest cultural practices 547
on tomato
effect on nutrient levels 524
resistance and occurrence of pathogenic biotypes 716, **718, 720**
sweet potato production as affected by nematode control 135
three biotypes in 653
Meloidogyne incognita incognita
on soybean, interaction with Heterodera glycines 549
on tomato, resistance and occurrence of pathogenic biotypes 716, **718, 720**
Meloidogyne javanica
on cowpea
relation to infection by Fusarium oxysporum tracheifilum 601, **603**
resistance to 318
intersexuality in 552
on carnation, effect on Fusarium oxysporum dianthi infection 550
on soybean, interrelationship with M. hapla and Rhizoctonia solani on emergence 552
Meloidogyne javanica javanica, two biotypes in 653
Paratylenchus, on cherry, relation of nitrogen and potassium to populations 543
Pratylenchus
control with chloropicrin 113
in bean, effects of crop rotation on 583
Pratylenchus brachyurus
on peanut, 1,2-dibromo-3-chloropropane application methods tested 317
response to 3 soils 316
response to 30 plant species and varieties 316
response to various plants and soils 417
Pratylenchus penetrans
excellent hosts: tomato, lettuce, chrysanthemum, broccoli 525
fair hosts: strawberry, carrot, turnip, radish 525
good hosts: peach, crown vetch, red clover, sweet corn 525
on cherry, relation of potassium to populations 543
on orchard grass roots, emergence on incubation 537
on red clover and alfalfa, effect with Tylenchorhynchus martini 357
very poor hosts: blueberry and asparagus 525
Pratylenchus scribneri, on Cymbidium orchids 458, **459**
Pratylenchus zeae
response to 33 plant species and varieties 316
response to 3 soils 316
response to various plants and soils 417
sugarcane, in combination with Phytophthora 543
Radopholus similis, on citrus roots, morphogenesis and histopathology of lesions 388, **389, 390, 391, 392, 394**
Trichodorus christiei
development, influence of soil texture 552
on tomato, effect on nutrient levels 524
Tylenchorhynchus claytoni, morphological and host-range distinction from Tylenchorhynchus ewingi 541
Tylenchorhynchus ewingi, morphological and host-range distinction from T. claytoni 541
Tylenchorhynchus martini, on red clover and alfalfa, effect with Pratylenchus penetrans 357

nematodes (continued)
Xiphinema americanum, on cherry, relation of nitrogen and potassium to populations 543
Xiphinema diversicaudatum, on rose, cytological and histological effects 523
new species, varieties, strains, etc.
artichoke latent virus, Marmor cynarae proposed as name 49
bacteriophage for Corynebacterium flaccumfaciens 107, 110, 111
Colletotrichum, new species on cucurbits 542
Marmor cynarae, name proposed for artichoke latent virus 49
viruses
alfalfa mosaic in bean, strain causing vein necrosis 526
flax crinkle 538
Marmor cynarae, latent virus of California artichoke 49
pea streak, 2 viruses 656, **657, 662**
tobacco-streak, new strain from pea 43, **44**
Newhall, A. G. (228)
Nielsen, E. L. 8, (542)
Nielsen, L. W. 135
Nusbaum, C. J. 547
Nyland, George 157, 338
oak
Ceratocystis fagacearum in
control with sodium dimethyldithiocarbamate 335, **336, 337**
xylem formation as resistance factor 335, **336, 337**
four hundred wilted trees, 1,446 fungus isolates in 65 genera 555
barley yellow dwarf in
host-vector relations 343
transmission of vector-specific strains 548
blue dwarf in
caused by virus transmitted by Macrosteles fascifrons 533
transmitted to flax by Macrosteles fascifrons 539
Crown rust in, influence of nickel compounds 1
Helminthosporium in
N-(ethylmercuri)-p-toluenesulfonanilide for control 318
species causing chlorosis of, inoculation methods and growth rates 320
Helminthosporium victoriae in
metabolism of susceptible varieties 587
physiological basis for resistance 32
respiratory changes 540
loose smut, see (under **oats**) Ustilago avenae
Puccinia coronata avenae in
reaction among strains of noncultivated species 598
inheritance of resistance in diploid and tetraploid species 257
suitability as host, to Pratylenchus brachyurus and P. zeae 417
Ustilago avenae in, relation of loose smut to yield 555
Ohman, J. H. 548, 548
onion
Alternaria leaf blight, control with 7 chemicals 228
downy mildew, see (under **onion**) Peronospora destructor
Peronospora destructor in, resistance to 486, **489, 491, 494**
orange
Diplodia natalensis on fruit, irradiation for control 534
Penicillium italicum on fruit, gamma radiation to control decay 91, **95**
Phomopsis citri on fruit, irradiation for control 534
stem end rot, see (under **orange**) Diplodia natalensis and Phomopsis citri
orchard grass, Pratylenchus penetrans in roots, emergence on incubation 537
Orellana, R. G. 210
Orozco-Sarria, S. H. 159
overwintering
Aphanomyces euteiches 192, **195**
Rhizoctonia solani 192, **195**
Owen, John H. 411
Pady, S. M. 757
Page, O. T. 61, 230
Palmer, John G. (545)
Palmiter, D. H. 228
Papasolomontos, A. 229
Papavizas, G. C. 525, (537)
Parker, K. G. (543), (543)
Parmeter, J. R., Jr. 812
Partyka, R. E. (227)
Patino, Graciano 43
Patton, R. F. 615
Paulus, Albert O. (701)
pea
Aphanomyces euteiches in, resistance, factors affecting seedling test of 406
Ascochyta pisi in, fungistatic activity of captan 680, **682**
Aspergillus amstelodami in, effect on germination 543
Aspergillus candidus in, effect on germination 543
Aspergillus flavus in, effect on germination 543
Aspergillus restrictus in, effect on germination 543
Aspergillus ruber in, effect on germination 543
bean yellow mosaic, veinal necrosis, and white clover mosaic viruses in, tests on 525
captan treatment, fungistatic activity 680, **682**
Fusarium oxysporum pisi in, resistant varieties 540
pea mosaic virus in, resistant varieties 540
Saccharomyces pastorianus in, fungistatic activity of captan 680, **682**
storage molds, see (under **pea**) Aspergillus flavus, A. ruber, A. candidus, A. restrictus, and A. amstelodami
streak-inciting viruses in, 2 apparently new ones 656, **657, 662**
tobacco-streak virus in, new strain isolated from pea and pathogenic to bean 43, **44**
Uromyces trifolii in, susceptibility 118
vancomycin treatment 177
wilt, see (under **pea**) Fusarium oxysporum pisi
pea strain of tobacco-streak virus, name proposed for new strain 43, **44**
peach
brown rot, see (under **peach**) Monilinia fructicola
Cytospora rubescens in, temperature and pathogenicity 114
Monilinia fructicola in
gamma radiation for control 354
hydrocooling and storage temperature 472
Phytophthora syringae in, isolated from stem cankers 114
Pratylenchus penetrans in, good host 525
Rhizopus nigricans in, gamma radiation for control 354
Rhizopus rot, see (under **peach**) Rhizopus nigricans and R. stolonifer
Rhizopus stolonifer in, hydrocooling and storage temperature 472
peanut
host favoring Pratylenchus brachyurus 316
molds dominant in 316
Pratylenchus brachyurus in, 1,2-dibromo-3-chloropropane application methods tested 317
quantitative mold determination 316
Sclerotium rolfsii in
control by not throwing soil on plants 317
dinoseb and PCNB control tests 317
Terraclor as a control 318
suitability as host, to Pratylenchus brachyurus and P. zeae 417
pear
decline of, anatomy of bud-union bark in affected trees 550
Phytophthora cactorum in, cause of collar rot 795
pecan, pecan scab on, 4 contact fungicides tested as late dormant sprays 317
pelargonium, latent viruses in, detection method 282, **283, 284**
pepper
five viruses in 97
suitability as host, to Pratylenchus brachyurus and P. zeae 417
Tabasco-type resistant to tobacco etch virus, breeding 317
tobacco mosaic virus in, control with milk 318
uptake of streptomycin, by leaves of 539
vancomycin treatment 177

pepper (continued)
Verticillium albo-atrum in, influence of fungus strain and soil temperature 23, **24**
virus diseases in, genetics of resistance 536
peppermint, captan on, phytotoxicity of 526
Petersen, Lawrence J. 607
Peterson, John E. (555)
Peturson, B. (1)
Photinia glabra, Entomosporium in, indistinguishable from that on pear, quince, and loquat 361, **362**
Photinia serrulata, Entomosporium in, indistinguishable from that on pear, quince, and loquat 361, **362**
pine
Armillaria mellea in, artificial inoculations 615, **619**
black root rot of seedlings, Sclerotium bataticola and Fusarium spp. associated with 318
Cronartium strobilinum in, ferbam for control 318
needle blight of, root characteristics 534
nutrient content of seedlings, influence of fumigation, fertilization, etc. 540
western white, Leptographium on from inoculations 350, 352
Pine, T. S. 738
Plakidas, A. G. (361)
plane tree, Microsphaera alni in, parasitism by Cincinnobolus cesatii 831
plum
black knot, see (under **plum**) Dibotryon morbosum
brown rot, see (under **plum**) Sclerotinia fructicola
Cytospora rubescens in, temperature and pathogenicity 114
Dibotryon morbosum in, good to fair control with zineb, Niacide-M, mercury, sulfur, ferbam, captan, and dichlone 524
Sclerotinia fructicola in, control by captan, dichlone, and mercury 524
poinsettia
Pythium ultimum in
effect of temperature 641, **643**, **644**
influence of soil moisture 533
Rhizoctonia solani in
effect of temperature 641, **643**, **644**
influence of soil moisture 533
Thielaviopsis basicola in
effect of temperature 641, **643**, **644**
influence of soil moisture 533
root rots, see (under **poinsettia**) Pythium ultimum, Rhizoctonia solani, and Thielaviopsis basicola
poplar, yellow, Ceratocystis coerulescens, inoculations 549
Popp, W. 75, 548
Porter, Clark A. 548
potato
bacterial ring rot, see (under **potato**) Corynebacterium sepedonicum
bacterial soft rot, see (under **potato**) Erwinia carotovora
Corynebacterium sepedonicum in, early dwarf symptom 453, **453**, **454**
Erwinia carotovora in, temperature-relative humidity index for predicting incidence 701
Heterodera rostochiensis in, control by intimate mixing of mercuric oxide with soil 627, **628**, **630**
Meloidogyne incognita in, seed-piece and soil infestation, effect on yield 319
Phytophthora infestans in, physiologic specialization in Israel 675, **677**
potassium gibberellate, seed-piece treatment with, effect on yield 319
potato leafroll virus in
net necrosis of tubers from seedborne-infected plants 113
strains identified in Idaho 113
scab, see (under **potato**) Streptomyces scabies
several diseases, effect of intimate mixing of mercuric oxide with soil 627, **628**, **630**
Streptomyces scabies in, soil factor suppressing 648, **651**
suitability as host, to Pratylenchus brachyurus and P. zeae 417
potato (continued)
Verticillium in
control with chloropicrin 113
influence of crop residues and fertilizer 114
potato scab, see (under **potato**) Streptomyces scabies
Pound, Glenn S. 16, (542), (633)
powdery mildew, see (under **fungi**) Erysiphe cichoracearum, E. cucurbitae phaseoli, and E. graminis
Powell, Dwight (177)
Powell, N. T. (318)
presidents, American Phytopathological Society (photographs) 243-248
prune, Cytospora rubescens in, temperature and pathogenicity 114
Prunus spp., Dibotryon morbosum in, possible causes of stem hypertrophy 539
pumpkin, Colletotrichum in, new species 542
Purdy, Laurence H. (130), (433)
Quackenbush, F. W. (594)
quackgrass
extracts from, effect on Puccinia graminis tritici on wheat 548
toxic effects of extracts, on alfalfa 548
toxicity to apple seedlings 228
quinonimine dyes, protection of pimaricin against oxidation 113
Raabe, Robert D. 116
Race, S. R. 525
radish, Pratylenchus penetrans in, fair host 525
Rama Rao, Rao (224)
Ramsey, G. B. (354), (534)
Raniere, L. C. 72
Rao, Rao Rama (see **Rama Rao, Rao**)
rape, turnip mosaic virus in, effect of photoperiod on multiplication 16
Rappaport, Irving 231
Rangaswami, G. 224
Raski, D. J. (543)
ray speck, see (under **fungi**) Stemphylium
red rot, see (under **fungi**) Physalospora tucamenensis
red stele, control with chloropicrin 113
Renfro, B. L. 548
Rhizoglyphus echinopus, Pseudomonas marginalis in gladiolus, relation to 538
rhizome rot, see (under **bacteria**) Pectobacterium carotovorum
Rhizopus rot, see (under **fungi**) Rhizopus nigricans and R. stolonifer
Rhopalosiphum fitchii
as vector
of barley yellow dwarf 343
of strains of barley yellow dwarf 744
ribonuclease, inactivation, of tobacco mosaic and cucumber mosaic viruses 554
ribonucleic acid, from cucumber with cucumber mosaic virus 114
rice
Aphelenchoides besseyi
control by seed treatment 184
resistance and yield tests 189
Helminthosporium oryzae in, induced mutation and relation of nitrogen to 536
hoja blanca, disease of 533
Rich, S. (228), 321, (541), (544)
Richards, B. L. (114)
Riggs, R. D. 716
Riker, A. J. 88, (555), (615)
ringspot, see (under **fungi**) Mycosphaerella brassicicola
Rivera, Carmen M. (119)
Rochow, W. F. 126, 229, 548, 744
Rogers, E. F. (821)
Rogers, W. E. (319)
Romanko, R. R. 32

root rot
complex in grapes in California 670, **672**, **673**
of corn
effect of rotations 550
resistance of inbreds and F_1 hybrids 550
see also (under **fungi**) Aphanomyces cochlioides, Fusarium solani phaseoli, Pythium ultimum, Rhizoctonia solani, and Thielaviopsis basicola
Rosberg, David W. 319
Rosenkranz, E. 548
rose, Xiphinema diversicaudatum and Meloidogyne hapla in, cytological and histological effects 523
Ross, A. F. (529), 549, (551), (784)
Ross, J. P. 319, 422, 549
Rotem, J. (675)
Roth, Elmer R. 549
rubber, Phytophthora palmivora in, varietal difference between isolates from cacao 210, **211**
Russell, W. A. (541)
rusts, cereal, influence of nickel compounds 1
Rumex acetosa, wound tumor virus in, biochemical studies of tumorous tissue induced 548
rust, bean (see **bean rust**)
rye, suitability as host, to Pratylenchus brachyurus and P. zeae 417
Sadanaga, K. (257)
safflower, Puccinia carthami in, pathogenicity inheritance 544
Sagen, James E. (530)
Sander, Evamarie 748
Santilli, Vincent 549
sapstreak, see (under **fungi**) Ceratocystis coerulescens
Sasser, J. N. (135), (316), 319, (553), (644)
Sayre, R. M. 549
scab, on apple, n-dodecylguanidine acetate residues 546
Schafer, John F. (556)
Schaller, C. W. (207)
Scharen, A. L. (192)
Scharen, Albert L. 425
Scharpf, R. F. (812)
Scheffer, R. P. (282), (546), 549
Schein, Richard D. 549
Schieber, Eugenio 550
Schilke, P. J. 525
Schindler, A. F. 550
Schmitthenner, A. F. 550, (554)
Schnathorst, W. C. 115, 464, 562
Schneider, C. L. 525
Schneider, Henry, 550
Schoeneweiss, Donald F. 335
Scholes, J. F. (114)
Schroth, Milton N. (755)
Schwinghamer, E. A. 260
Scott, H. A. 525
seed, small grain, cleaning and treatment, need for improvement 316
seed transmission, Isariopsis griseola in bean 159
seed treatments
captan, smooth brome grass 8
cucumber, vancomycin soak 177
N-(ethylmercuri)-p-toluenesulfonanilide, smooth bromegrass 8
Lima bean, vancomycin soak 177
pea, vancomycin soak 177
pepper, vancomycin soak 177
rice, tests of 9 chemicals for control of Aphelenchoides besseyi 184
sesame, control of Pseudomonas sesami and Alternaria 461
smooth bromegrass, germination and seedling growth 8
thiram, smooth bromegrass 8
tomato
fermentation to reduce tobacco mosaic virus 551
vancomycin soak 177
vancomycin soak 177
watermelon, vancomycin soak 177
seedling blight, see (under **fungi**) Fusarium graminearum
Selsky, M. I. 550
Semeniuk, G. 550, 550
Semeniuk, Peter (550)
sesame
Alternaria in seeds, treatment with fungicides 461
Alternaria isolates in, cause of leaf and stem spotting 534
Helminthosporium sesami in, cause of blight 815
leaf and stem spotting, Alternaria isolates the cause 534
pre-emergence damping-off, control with captan 461
Pseudomonas sesami on seed, treatment with streptomycin 461
Shaw, Charles Gardner (499)
Shepherd, R. J. (293)
Sher, S. A. 458, 761
Siegel, Albert 550
Siegel, M. R. 525
Sigatoka leaf-spot of banana, see (under **fungi**) Mycosphaerella musicola
Silber, Gustave 526, (542)
Sill, Webster H., Jr. (214)
Sill, W. H., Jr. 396
Silverman, William 531, 827
Simons, M. D. 257, 598
Sinclair, J. B. 319, 551
Singh, G. R. 551
Sisler, H. D. (546)
Sisler, Hugh D. (534)
Skiles, R. L. 133
Skoropad, W. P. 623
Slack, D. A. (317), 319
Smalley, E. B. (88)
Smith, D. C. (8)
Smith, M. A. (91), (354), (534)
Smith, W. L., Jr. (472), (546)
smut, covered, of barley, toward a uniform test for 548
Snyder, William C. 310, (552), 755
soft rot, see (under **bacteria**) Erwinia and Pseudomonas
soil pox, of sweet potato, control with chloropicrin 113
soils, effect on Pratylenchus brachyurus and P. zeae 316
sooty blotch, apple, lead arsenate as fungicide 524
sorghum, suitability as host, to Pratylenchus brachyurus and P. zeae 417
soybean
Cercospora in, purple stain of seeds incited by 430, **431**
Heterodera glycines in
cyst development and larva emergence 317, 319
interaction with Meloidogyne incognita incognita 549
resistance, effect on yield and nematode populations 319
Meloidogyne in, bioassay to separate nematode races 18, **20**, **21**
Meloidogyne hapla in
host-parasite relations 525
interrelations with Meloidogyne javanica and Rhizoctonia solani on emergence 552
Meloidogyne incognita acrita in, root production 523
Meloidogyne incognita incognita in
interaction with Heterodera glycines 549
survey of physiologic races 537
Rhizoctonia solani in, infection of roots 555
root and stem rot fungus of
development and morphology of reproductive structures 376, **378**
etiology of the disease 380, **382**
suitability as host, to Pratylenchus brachyurus and P. zeae 417
tobacco ringspot virus in, development and transmission 697
soybean cyst nematode, see (under **nematodes**) Heterodera glycines
Spalding, D. H. 551
sphagnum moss
inhibition of movement in soil, of Rhizoctonia solani, Phytophthora parasitica nicotianae, Pythium ultimum, and P. butleri 542
inhibition of Pythium butleri and P. ultimum, by extract from 542
spore sampler, a continuous quantitative slit type 757, **758**

spring blackstem disease, see (under **fungi**) Phoma herbarum medicaginis
spruce, Armillaria mellea in, artificial inoculations 615, **619**
squash
  Alternaria cucumerina in, symptoms and host-parasite relations 731
  Colletotrichum in, new species 542
Srivastava, D. N. 145, 400
Stanford, Ernest H. (653)
Staples, Richard C. 551
Stathis, P. D. 361
St. Augustine grass, Cercospora fusimaculans, reported to affect 160, **161**
Steele, A. E. (317)
Steib, R. J. (553)
stem end rot, see (under **fungi**) Diplodia natalensis and Phomopsis citri
Stemphilium ray speck, see (under **fungi**) Stemphylium
stem rust
  in wheat, vitamin B_6 content of resistant and susceptible lines 541
  see (under **fungi**) Puccinia graminis
Stewart, D. M. (548)
Stewart, Robert N. (550)
Stoddard, E. M. (228)
Stokes, G. W. 551
Stone, William J. 815
stone fruits, rusty mottle virus complex in 114
storage molds, see (under **fungi**) Aspergillus flavus, A. ruber, A. candidus, A. restrictus, and A. amstelodami
Storkan, R. C. (530)
Stouffer, R. F. 551
Stover, R. H. 290
strawberry
  Botrytis cinerea in
    control with 3 chemical sprays 228
    irradiation for control 475, **476-479**
    methods of determining susceptibility 542
  grey mold fruit rot, see (under **strawberry**) Botrytis cinerea
  ionizing radiation, control of Botrytis cinerea 475, **476-479**
  Pratylenchus penetrans in, fair host 525
  suitability as host, to Pratylenchus brachyurus and P. zeae 417
  Verticillium in, control with chloropicrin 113
streptomycin, see under **antibiotics** and under **chemicals**
Strider, D. L. 551
Striga asiatica
  Gramineae hosts, resistance among 319
  Leguminoseae, induction of seed germination by 319
sudan grass, suitability as host, to Pratylenchus brachyurus and P. zeae 417
Sudia, T. W. (832)
Sudia, Theodore W. (450)
sugar beet, Aphanomyces cochlioides in, symptoms and susceptibility 525
sugarcane
  Physalospora tucamenensis in, role in red rot of seed pieces 551
  Phytophthora in
    infection and spread in seed pieces 553
    in combination with Pratylenchus zeae 543
    isolate causing seed piece rot, description 320
  Pratylenchus zeae in, in combination with Phytophthora 543
  red rot, see (under **sugarcane**) Physalospora tucamenensis
sunflower, rust, influence of nickel compounds 1
sweet potato
  Ceratocystis fimbriata in, influence of bedding stock, plant bed temperature, and 6 fungicides 249, 252, **253**
  Meloidogyne incognita acrita in, control as it affects sweet potatoes 135
  Rhizopus stolonifer in, mechanisms of infection 400
  Rhizopus in, effect of chilling, recuring, and hydrowarming after storage 359
  soil pox, control with chloropicrin 113
  Streptomyces ipomoea in, control with chloropicrin 544
sweet potato (continued)
  suitability as host, to Pratylenchus brachyurus and P. zeae 417
  sweet potato cork in, transmission to 3 other Convolvulaceae 545
Syamananda, Riksh 102
synergism
  viruses, 3 small-grain, on wheat 214, **215, 217**
  yellow-vein and other citrus viruses 554
Tamaoki, Taiki 552
Tammen, J. (547), 552
Taylor, D. P. 552
Taylor, Gordon S. 229
Taylor, Jack 65
tea
  collar rot, see (under **tea**) Rhizoctonia solani
  Rhizoctonia solani in, cause of collar rot 527, **527**
techniques
  assay
    alfalfa mosaic virus activity 529
    Ditylenchus dipsaci populations 549
    nematodes on soybean, to separate races 18, **20, 21**
    tobacco mosaic virus in cucumber cotyledons, factors affecting 78, **86**
  controlled temperature chamber, construction of small unit 832
  culture, Erysiphe cichoracearum on lettuce epidermis and mesophyll 115, **115**
  detached-leaf tests
    alfalfa for resistance to Phoma herbarum medicaginis 690
    alfalfa for Ascochyta imperfecta 229
  detection
    Aphanomyces euteiches in soil 192, **195**
    latent viruses in pelargonium 282, **283, 284**
    Rhizoctonia solani in soil 192, **195**
  dose-response curves, interpretation 544
  embryo test, for predicting Ustilago tritici on wheat 75, **76**
  field-plot sprayer 227
  freeing white clover of bean yellow mosaic 810
  grafting, bark-patch, over pruning wounds 227
  growth medium, for Aphanomyces euteiches 540
  indexing, necrotic ringspot of sour cherry 58, **58**
  infection, Tilletia contraversa in wheat 4
  inoculation
    airbrush as a tool 507
    Helminthosporium spp. causing oat chlorosis 320
    single-spore, and increase of Puccinia recondita 455, **455**
    wheat and barley seedlings with Ustilago nuda and U. tritici 542
  isolation
    Arthrobotrys superba from soil 113
    Dactylaria from soil 113
    Rhizoctonia solani from soil debris 192, **195**
    soil actinomycetes antagonistic to plant-pathogenic fungi 270, **271**
    Streptomyces scabies from potato tubers or soil 457
  maintaining cultures, mineral oil seal method with Tilletia caries 454
  maintaining nematodes, single-species cultures in greenhouse 553
  measuring teliospore germination, by sporidia production 54, **55**
  mounting phytopathogenic fungi, Cellophane tape for 231, **232**
  multiplication of viruses, seedling roots in Petri dishes 220
  pathogenesis measurement, by amount of toxic substance produced by snow mold fungus 303, **304**
  photographing phytopathogenic fungi, Cellophane tape in 231, **232**
  purification, cucumber mosaic virus 293, **297**
  quantitative mold determination, in peanut 316
  selective medium, for Verticillium microsclerotia in soil 527, **528**
  spore sampler, slit-type continuous sampler 757, **758**
  spray evaluation, low-volume oil sprays on banana 535

Techniques (continued)
staining
nematodes with gold chloride and picric-acid–iodine 523
Phytophthora, with zinc-chlor-iodide 455
uniform smut test, for wheat and barley 548
virus transmission, a caffeine additive to assist 321
teliospore germination, measure by sporidia numbers released 54, **55**
terminal scab, apple, lead arsenate as fungicide 524
Theis, T. (119), (535)
Thomas, C. A. 461
Thomas, H. E. (338)
Thomas, H. L. (554)
Thomas, M. H., Jr. 320
Thomason, Ivan J. 552, 602
Thompson, James P. (112)
Threinen, J. T. 797
Thurston, H. David 450
tobacco
bean yellow mosaic, veinal necrosis, and white clover mosaic viruses in, tests on 525
black shank, see (under **tobacco**) Phytophthora parasitica nicotianae
cucumber mosaic virus in, infective ribonucleic acid from 114
Meloidogyne incognita in, effect of postharvest cultural practices 547
Meloidogyne incognita acrita in, effect of postharvest cultural practices 547
Phytophthora parasitica nicotianae in
effect of inoculum level on severity 274, **275**
resistance to, dominant and modifying genes 318
sexuality of the fungus 37, **38, 39**
spore germination inhibited by Omadine and N521 525
potato viruses X and Y, effect of temperature on interaction 551
Pseudomonas solanacearum in, respiration of stem tissue 545
Pseudomonas tabaci in, transfer of resistance 551
suitability as host, to Pratylenchus brachyurus and P. zeae 417
tobacco mosaic virus in
area variation in sensitivity on leaves 231
control with milk 318
effect on leaf respiration 447
influence of viral protein on infection 549
inhibition by proteins from milk and blood serum 544
lesions caused by, distribution on leaves 231
mutable character of lesion size 550
relations with potato Y virus in hypersensitive line 549
vancomycin treatment 177
weather fleck, possible cause 229
wildfire, see (under **tobacco**) Pseudomonas tabaci
Todd, E. H. 184, (189)
Toeppich, Carolyn (541)
Toko, H. V. 343
Tolmsoff, W. J. 113, 114
tomato
Botrytis cinerea in, cause of ghost spot 411, **413, 415**
captan on, phytotoxicity of 526
crown gall of, respiration of particulate fractions of tissue 552
cucumber mosaic virus, failure to induce internal browning 227
dahlia ringspot in, various isolates 546
Fusarium in, respiratory responses 549
Fusarium oxysporum lycopersici, resistance as affected by growth regulators 68
internal browning, varietal response to factors influencing expression of 546
Meloidogyne hapla in, influence of soil moisture 534
Meloidogyne incognita incognita, M. incognita acrita, and M. arenaria arenaria in, resistance and occurrence of pathogenic biotypes 716, **718, 720**
Phytophthora infestans in, physiologic specialization in Israel 675, **677**
Pratylenchus penetrans in, excellent host 525
tomato (continued)
suitability as host, to Pratylenchus brachyurus and P. zeae 417
tobacco mosaic virus in
control with milk 318
effect of nitrogen, phosphorus, and potassium 229
internal browning expression 546
reduction by seed fermentation 551
role in internal browning 227
tobacco ringspot virus, failure to induce internal browning 227
Trichodorus christiei in, effect on nutrient levels 524
vancomycin treatment 177
wilt resistance, correlation with pectic substances 538
tomato wilt, see (under **fungi**) Fusarium oxysporum lycopersici
Tomlinson, J. A. 293
Toole, E. Richard (549)
Toussoun, T. A. 552
Tove, S. B. (545)
toxicity, dose response curves, interpretation 544
Treshow, Michael 114
Trialeurodes abutilonea, transmission, sweet potato feathery mottle 524
Triantaphyllou, A. C. 552, 553
Trione, Edward J. 306
Troutman, Joseph L. 553
true loose smut, see (under **fungi**) Ustilago nuda
Trujillo, Eduardo E. (310)
Tsao, Peter H. 553
tupelo, Botryosphaeria ribis in, canker disease caused by 547
turnip, Pratylenchus penetrans in, fair host 525
Tyner, L. E. (348)
van der Zwet, T. 320, 553
Varghese, George 553
vascular wilt
see (under **fungi**) Fusarium oxysporum dianthi
see (under **bacteria**) Pseudomonas caryophilli
Veenstra, M. A. (539), 553
Venkata Ram, C. S. (527)
Venkataramani, K. S. 527
Verticillium wilt, see (under **fungi**) Verticillium albo-atrum
vetch, suitability as host, to Pratylenchus brachyurus and P. zeae 417
vetch, crown, Pratylenchus penetrans in, good host 525
victoria blight of oats, see (under **fungi**) Helminthosporium victoriae
victorin
inactivation by intact oat tissue, of resistant oat varieties 32
role in Victoria blight of oats, further evidence 540
viruses
alfalfa mosaic
activity, assay of 529
bell pepper resistance 198, **199, 200**
in bean, new strain causing vein necrosis 526
artichoke latent, name Marmor cynarae proposed 49
aster ringspot
bell pepper resistance 198, **199, 200**
host range and spread in Florida 97
asteroid mosaic, in grape, symptoms and transmission 541
barley stripe mosaic, synergism with wheat streak mosaic and brome mosaic viruses in wheat 214, **215, 217**
barley yellow dwarf
aphid transmission tests 229
in barley, host-vector relations 343
in oats
host-vector relations 343
transmission of vector-specific strains 548
in wheat, host-vector relations 343
transmission of strains, by Rhopalosiphum fitchii and Macrosiphum granarium 744
bean yellow mosaic
characteristics 525
insect transmission tests 117
in Kenland red clover, selection for resistance to 541
in red clover, necrotic, mottle, and resistant reactions 537
in white clover, freeing the plants 810

viruses (continued)
blackeye cowpea mosaic, insect transmission tests 117
blue dwarf
in barley, transmitted to flax by Macrosteles fascifrons 539
in flax, transmitted from oat and barley by Macrosteles fascifrons 539
in oat, transmitted to flax by Macrosteles fascifrons 539
bromegrass mosaic
Chenopodium hybridum as local-lesion assay host 126, **127**
synergism with wheat streak mosaic and barley stripe mosaic viruses in wheat 214, **215, 217**
cachexia, in citrus, transmission and host range 113
carnation latent
particles of, size and shape 443, **444**
with potato M and S viruses, differential host and serological relations 435, **436, 437, 438**
cauliflower mosaic, compared with radish mosaic and turnip mosaic viruses 542
cause of blue dwarf of oats and dwarf of barley 533
cowpea mosaic virus, insect transmission tests 117
crinkle, latent in pelargonium 282, **283, 284**
cucumber mosaic
bell pepper resistance 198, **199, 200**
cowpea strain, insect transmission tests 117
host range and spread in Florida 97
inactivation by ribonuclease 554
in cucurbits, strains in California 366
in tobacco, infective ribonucleic acid from 114
in tomato, failure to induce internal browning of 227
purification, properties, and serology 293, **297**
curly top, latent in pelargonium 282, **283, 284**
dahlia ringspot, various isolates, mechanical transmission and host ranges 546
eastern aster yellows, in aster, results on Dalbulus maidis 545
flax crinkle, new virus disease 538
green ring mottle, distinct from sour cherry ringspot and yellows 777
in legumes
in California 525
in Minnesota, comparison studies 554
inoculation, airbrush as a tool 507
internal cork of sweet potato, associated with sweet potato ringspot 524
leaf-crumple, in cotton, transmission by Bemisia tabaci 324
Lychnis ringspot, in Lychnis divaricata, discovery and characteristics 706, **707, 708**
Marmor cynarae, proposed as name for newly discovered latent virus of California artichoke 49
mild rusty mottle, in stone fruits in Idaho 114
mosaic, latent in perlargonium 282, **283, 284**
mottle, latent in pelargonium 282, **283, 284**
multiplication, in seedling roots in Petri dishes 220
necrotic ringspot
cherry, sour, indexing on 58, **58**
latent in pelargonium 282, **283, 284**
mechanical transmission, caffeine additive to assist 321
necrotic rusty mottle
cherry, Lambert, hot-water inactivation in budsticks 157
in stone fruits in Idaho 114
peach stunt, called strain of stone fruit ringspot 545
peach yellow bud mosaic, multiplication in seedling roots 220
pea mosaic, in pea, varieties resistant 540
pea streak
MS virus from Minnesota 656, **657, 662**
PO virus from New York 656, **657, 662**
two apparently new ones 656, **657, 662**
plant, on both sides of the Iron Curtain 228
potato leafroll
in potato
net necrosis of tubers from seedborne-infected plants 113
virus strains identified in Idaho 113

viruses (continued)
potato M
particles of, size and shape 443, **444**
with potato S and carnation latent viruses, differential host and serological relations 435, **436, 437, 438**
potato mottle
in citrus, transmission by mechanical inoculation 729, **730**
mechanical transmission, to and from citrus 524
potato S
particles of, size and shape 443, **444**
with potato M and carnation latent viruses, differential host and serological relations 435, **436, 437, 438**
potato X
inhibition of brown spot strain 784
in tobacco, temperature effect on interaction with potato Y 551
potato Y
bell pepper resistance 198, **199, 200**
host range and spread in Florida 97
in tobacco, temperature effect on interaction with potato X 551
relations with tobacco mosaic virus in hypersensitive line of plants 549
potato yellow dwarf, transmission by Agallia constricta, genetic variation in ability 546
prune dwarf, called strain of stone fruit ringspot virus 545
Prunus viruses A and B, factors responsible for instability 540
psorosis, synergism with other citrus viruses 554
radish mosaic, compared with turnip mosaic and cauliflower mosaic viruses 542
red clover vein mosaic, biological properties 748
ring pox, in apricot, new strain in Royal var. 338, **338**
ringspot, latent in pelargonium 282, **283, 284**
rusty mottle complex, in stone fruits in Idaho 114
shoestring
in blueberry, dormant plant symptoms 553
effect of heat treatment 539
sour cherry necrotic ringspot, purification and electron microscopy 539
sour cherry yellows, called strain of stone fruit ringspot 545
stem necrosis, latent in pelargonium 282, **283, 284**
stone fruit, in cucumber, partial purification of 555
stone fruit ringspot
mechanical transmission 545
strains, apparently causes of sour cherry yellows, prune dwarf, and peach stunt 545
stunting bean, interaction with potassium gibberellate in bean 555
stunting, of normal colonies of Helminthosporium victoriae by a transmissible agent 29, **30**
squash mosaic, in cucurbits, range in California 366
sugar beet latent, multiplication in seedling roots 220
sugar beet ring spot, multiplication in seedling roots 220
sweet potato cork, transmission through 3 Convolvulaceae species 545
sweet potato feathery mottle, transmission by Trialeurodes abutilonea 524
sweet potato ringspot, associated with internal cork of sweet potato 524
thermal inactivation 546
tobacco etch
bell pepper resistance 198, **199, 200**
host range and spread in Florida 97
resistant Tabasco-type pepper, breeding 317
tobacco mosaic
bell pepper resistance 198, **199, 200**
control with milk on pepper, tomato, and tobacco 318
host range and spread in Florida 97
inactivation by ribonuclease 554
in cucumber, screening of 233 chemicals for inhibition 802
in bean, influence of viral protein on infection 549
in cucumber, factors affecting susceptibility 78, **86**
in Nicotiana glutinosa
distribution of lesions on leaves 231
effect on leaf respiration 447

viruses, tobacco mosaic (continued)
in pepper, control with milk 318
in tobacco
control with milk 318
influence of viral protein on infection 549
inhibition by proteins from milk and blood serum 544
mutable character of lesion size 550
in tomato
control with milk 318
effect of nitrogen, phosphorus, and potassium 229
internal browning expression 546
reduction in seed by fermentation 551
role in internal browning of 227
protein of, influence on infection of tobacco and bean 549
relations with potato Y, in hypersensitive line of tobacco 549
super mild strain, selection by tissue culture 555
tobacco necrosis
bean found to be infected by 228
multiplication in seedling roots 220
tobacco ringspot
in cowpea, inheritance of resistance 332, **333**
in tomato, failure to induce internal browning of 227
in watermelon, irradiation effect on symptoms 319
in soybean, development and transmission 697
multiplication in seedling roots 220
tobacco streak
in alfalfa, new strain from, infectious to bean 555
in bean, new strain isolated from alfalfa 555
new strain from peas 43, **44**
tomato atypical mosaic, in citrus, strains in relation to host species 823
tomato bushy stunt, multiplication in seedling roots 220
tomato spotted wilt, failure of thrips to transmit 452
top necrosis, latent in pelargonium 282, **283, 284**
turnip mosaic
compared with radish mosaic and cauliflower mosaic 542
rape, multiplication in, effect of photoperiod 16
Utah Dixie rusty mottle, in stone fruits in Idaho 114
veinal necrosis, characteristics 525
vein-enation, synergism with other citrus viruses 554
vein necrosis, in bean, new strain of alfalfa mosaic 526
watermelon mosaic, in cucurbits, strains in California 366
western X-disease, in cherry on Mahaleb rootstock, sequence and tenure of 114
western X-little cherry: locus, time, and mode of action 202, **203, 205**
wheat streak mosaic
antigenic characteristics 151
in corn, transmission by Aceria tulipae 396
synergism with brome mosaic and barley stripe mosaic viruses in wheat 214, **215, 217**
white clover mosaic, characteristics 525
Wisconsin pea streak, Chenopodium amaranticolor as local-lesion test plant 548
wound tumor
in Rumex acetosa, biochemical studies of tumorous tissue induced 548
in sweet clover, effect of temperature 550
soluble antigen in Agallia constricta, serological measurement 554
transmission by Agallia constricta, genetic variation in ability 546
yellow bean mosaic, in bean, partial purification and association filamentous particles with 713, **714**
yellow-vein, synergism with other citrus viruses 554
vitamins, B_6, effect on Heterodera rostochiensis emergence from cysts 547
Wadley, Bryce N. 114, 114
Wahl, I. (675)
Waldher, J. T. (724)
Walker, J. C. (145), (293), (400)
Wallen, V. R. 680
Walter, Lilliam B. (549)
Walters, H. J. 320
Ward, C. H. 229, 553, 690
watermelon
Alternaria cucumerina in, symptoms and host-parasite relations 731
Colletotrichum in, new species 542
suitability as host, to Pratylenchus brachyurus and P. zeae 417
tobacco ringspot virus, irradiation effect on symptoms 319
vancomycin treatment 177
Weathers, L. G. (113), 554
Weaver, M. L. (321)
Wedding, R. T. 557
Wedding, Randolph T. (701)
Weeks, T. E. (78), (802)
Weinstein, Leonard H. (548)
Welkie, George W. 114, 554
Wells, J. C. (316)
Wetter, C. (435), (443)
wheat
barley stripe mosaic virus in, synergism with wheat streak mosaic and brome mosaic viruses 214, **215, 217**
barley yellow dwarf virus in, host-vector relations 343
brome mosaic virus in, synergism with wheat streak mosaic and barley stripe mosaic viruses 214, **215, 217**
bunt
see (under **wheat**) Tilletia caries
toward a uniform test for 548
flag smut, see (under **wheat**) Urocystis tritici
leaf rust, influence of nickel compounds 1
loose smut, see (under **wheat**) Ustilago tritici and U. nuda
Pawnee, most satisfactory variety for synergism studies of 3 small-grain viruses 214, **215, 217**
Puccinia graminis tritici in
behavior of haustoria 535
effect of extracts from quackgrass 548
infectibility and tolerance 535
necrosis related to temperature 827
reaction of 4 varieties or selections to race 15B 254
relation of inoculum density to infection 607, **608-610, 613**
uptake of vital dyes by mycelium 531
rust, 3-phenylsydnones for therapy 821
stem rust in
influence of nickel compounds 1
see (under **wheat**) Puccinia graminis tritici
vitamin B_6 content of resistant and susceptible lines 541
suitability as host, to Pratylenchus brachyurus and P. zeae 417
Tilletia caries in
effect of soil temperature and moisture 433
seedling indication of infection 130, **131**
Tilletia contraversa in, methods of infecting with 4
Tilletia foetida in, seedling indication of infection 130, **131**
Ustilago nuda in
seedling inoculation with chlamydospores 542
temperature effect on development 543
Ustilago tritici in
new embryo test for predicting loose smut 75, **76**
seedling inoculation with chlamydospores 542
temperature effect on development 543
wheat streak mosaic virus in, synergism with brome mosaic and barley stripe mosaic viruses 214, **215, 217**
wheat stem rust, see (under **fungi**) Puccinia graminis tritici
Wheeler, Harry (540)
Whitcomb, R. F. 554
whitefly, transmission, sweet potato feathery mottle virus 524
white leaf, see **hoja blanca**
white tip of rice, see (under **nematodes**) Aphelenchoides besseyi
Whitlock, L. S. (541)
Wilcoxson, R. D. 554
Wilcoxson, Roy D. (397), (428)
Wilde, Peter (450)
wildfire, see (under **bacteria**) Pseudomonas tabaci
Wildman, Sam G. (231)
Wilhelm, Stephen 530
Wilkinson, R. E. (229)
Williams, E. B. (313)

Williams, Lansing E. 554
wilt
  maple, see (under **fungi**) Verticillium albo-atrum
  resistance, correlation with pectic substances 538
  see (under **fungi**) Fusarium oxysporum pisi
  tomato, see (under **fungi**) Fusarium oxysporum lycopersici
Winstead, N. N. (542), 554, (716)
witchweed, see **Striga asiatica** 319
Wood, L. S. 555
Wood, Francis A. 555
wood decay, of grape, relation to black measles 510, **511-513,** 516-518
Wright, W. R. (91), (354), (534)
Wu, Jia-Hsi (549)
Wu, J. H. 555
Wu, Lung-chi (539)
Wyllie, T. D. (552), 555
Yamaguchi, Akira 447
Yarwood, C. E. (49), 220
Yerkes, William D., Jr. 499, 555
Young, H. C., Jr. (455)
Young, Roy A. 114, (114)
Zaitlin, Milton 555
Zaumeyer, W. J. (43), 526, 555
Zeiders, K. E. 526
Zentmyer, George A. 556
Zimmer, D. E. 556
Zuckerman, B. M. 556

ERRATA, VOLUME 48

Page 370, citation 3, line 2: *read* by bean yellow *for* by yellow

Page 474, citation 16: *read* W. A. R. Dillon-Weston

Page 513, Summary, col. 2, line 9: *read* annuum *for* annum

Page 515, Table 1, first entry: *read* ambiguum *for* ambigum

Page 536, Table 1, Kentucky 35 listing: *read* 4–10 *for* 4–0

Page 566, Table heading, line 2: *read* spores *for* spors

Page 595, citation 50, line 3: *read* Compt rend. *for* C. R.

Page 595, citation 51, line 4: *read* Compt. rend. *for* C. R. Acad. Sci.

Page 595, citation 52, line 3: *read* Compt. rend. Acad. agr. France *for* Acad. agric. France

Page 607, col. 2, line 10 from bottom: *read* A and C *for* A-B

Page 608, col. 1, para. 2, line 4: *read* B and D *for* C-D

Page 608, Fig. 2 caption: *read* A and C) *for* A-B); C) *for* B); *and* B and D) *for* C-D)

Page 613, col. 1, line 2: *read* infested *for* infected

Page 629, col. 2, lines 18–20: *delete sentence* Two groups . . . isolate PB-2.

Page 653, col. 2, line 32: *read* non-phytotoxic *for* non-phytoxic

Page 654, Table 1, Code RH-2: *read* Bis [*N*-(2- . . . *for* Bis [*N*-(2)- . . .

Page 654, col. 1, line 21: *read* nitro-1-methylheptylphenol *for* nitro-1-methylheptylphenyl

Page 694, col. 1, lines 4–5 from bottom: *read* (unpublished) *for* (unpublished

Page 694, col. 2, line 16: *read* various *for* variously

Page 695, Table 1: *read* H. sorghicola LeFebvre & Sherwin *for* H. sorghicola LeFebvre &

Page 695, Table 1: *read* H. tritici vulgaris Nisikado *for* H. tritici vulgaris Nisikado Sherwin

ERRATA, VOLUME 49

Page 42, col. 2, line 10: *read* zoospores *for* oospores

Page 42, col. 2, line 17: *read* oospores *for* zoospores

Page 55, col. 1, line 14: *read* mycotron *for* mycrotron

Page 57, citation 4: *read* 1942 *for* 1952

Page 68, col. 2, line 7: *read* footnote b *for* footnote 2

Page 124, col. 1, line 1: *read instead: Seed transmission of the asparagus Fusarium.*—The

Page 157, footnote 1: Accepted for publication October 22, 1958.

Page 160, col. 1, line 13 from bottom: *read* 106 *for* 160

Page 185, Table 1, heading 3: *read* lb./1000 ft.^{3} *for* lb./100 ft.^{3}

Page 199, Table 1, column 5: 2/3^c *should be one line higher*

Page 205, Fig. caption, line 2: *read* in *for* n; line 3: *read* IV *for* V

Page 216, Table 1: *add* Healthy control, 187.1 g

Page 218, col. 2, para. 2, line 6: *read* (K.) *for* (K.) K.

Page 254, Fig. 2 caption: *read* tubericola *for* tubercularia

Page 260, Summary, line 7: *read* the ability of spores *for* their ability

Page 260, Summary, line 18: *read* chromosome *for* chromosomes

Page 266, col. 2, line 4: *read* mutation frequency *for* spore sensitivity

Page 285, col. 1, line 2: *read* (Fig. 1-d) *for* (Fig. 1-d

Page 308, col. 1, line 3: *read* to *for* of

Page 419, Table 1, col. 1, item "Potato": *read* solanum *for* Colanum

Page 468, citation 5, line 2: *insert* DC. *before* ex

Page 498, Table 1, cols. 1 & 2, line 1: *insert* 2 *and* + *under* Inoculated

Page 501, Table 1, title: *read instead: Conidial measurements of collections of Peronospora on Cruciferae*

Page 559, heading: *read* SOLANI *for* SOLNAI

Page 560, col. 2, para. 2, line 7: *read* data *for* date

Page 561, heading: *read* SOLANI *for* SOLNAI

Page 622: citation 21, line 2: *read, following "Armillaria":* mellea. Proc. Roy. Soc. B121: 561-573.

Page 574, col. 1, line 20 from bottom: *read* xylem *for* zylem